Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

DECK LOG–TITLE PAGE
NAVPERS 716 (Rev. 4-56)

DECK LOG BOOK

OF THE

U.S.S. ABNAKI

ATF-96
IDENTIFICATION NUMBER

COMMANDED BY

LT. C.C. REED, U.S.N.

Attached to
- _____ Division,
- _____ Squadron,
- _____ Flotilla,
- SERVICE FORCE U.S. PACIFIC Fleet,
- FOURTEENTH Naval District,

Commencing + 10 W 1 MAY, 1964,
(zone time and date)

at PEARL HARBOR, HAWAII,
(location)

and ending + 10 W 31 MAY, 1964,
(zone time and date)

at JOHNSTON ISLAND
(location)

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVY—PEARL HARBOR, T. H.

Digital Surrogate of NARA Original Record - NND 927605

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP _____ _____, 19 ____
(Day) (Date) (Month)

APPROVED:

_____ U. S. N. COMMANDING

EXAMINED:

_____ U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Abnaki ATF-96 ZONE DESCRIPTION +10 DATE Friday (Day) 1 (Date) May (Month), 1964

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	4	7	SCT	2998	76	70	2	2000	Cu			
02	040	4	7	SCT	2998	76	70	2	2000	Cu			
03	040	4	7	SCT	2996	75	70	2	2000	Cu			
04	040	3	7	SCT	2996	75	69	2	1800	Cu			
05	040	3	7	SCT	2995	74	69	2	1800	Cu			
06	040	3	7	SCT	2996	75	69	3	1800	Cu			
07	040	3	10	SCT	2999	75	70	3	1800	Cu			
08	040	3	10	SCT	2999	77	70	4	1800	Cu			
09	040	3	10	SCT	2999	77	70	4	1800	Cu			
10	040	3	10	SCT	3000	77	70	4	1800	Cu			
11	040	3	10	SCT	3000	77	70	4	1800	Cu			
12	040	3	10	SCT	2997	87	77	4	2500	Cu			
13	040	2	10	SCT	2996	88	77	4	2500	Cu			
14	040	2	10	SCT	2993	88	77	4	2500	Cu			
15	040	2	10	SCT	2992	87	77	4	2500	Cu			
16	040	3	10	SCT	2991	86	76	4	2500	Cu			
17	040	3	10	SCT	2991	86	75	4	1800	Cu			
18	040	3	10	SCT	2992	84	75	4	1800	Cu			
19	040	3	7	SCT	2993	80	75	4	1800	Cu			
20	040	3	7	BKN	2994	77	74	5	1800	Cu			
21	040	2	5	BKN	2995	77	72	6	1800	Cu			
22	040	3	5	BKN	2996	76	71	7	1800	Cu			
23	040	4	5	BKN	2997	75	70	7	1800	Cu			
24	040	3	5	BKN	2997	75	70	7	1800	Cu			

POSITION	ZONE	TIME
0800 L IN port	BY	
λ	BY	
1200 L	BY	
λ	BY	
2000 L	BY	
λ	BY	

LEGEND: 1—CELESTIAL 2—ELECTRONIC 3—VISUAL 4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 234

REMARKS

00-04 Moored starboard side to USS Deliver (ARS-23), ~~Deliver~~ with standard mooring lines doubled in berth alfa-six (a-6), US Naval Base Pearl Harbor, Hawaii. Material condition yoke is set. Receiving fresh water and telephone services from the pier. Ships present include various units of the U S Pacific fleet, district and yard craft. Sopa is anc pacflt.

C. P. McKenzie, Ens, U S MR

04-08 Moored as before. 0745 Mustered the crew at quarters absentees: none.

C. P. McKenzie, Ens, U S MR

APPROVED: CC Reed Lt. U. S. N. COMMANDING

EXAMINED: RS Nason, Ltjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 FRIDAY (Day) 1 (Date) MAY (Month), 19 64

0800 MOORED AS BEFORE 0900 MADE DAILY INSPECTION OF MAGAZINES: CONDITIONS NORMAL. CONDUCTED WEEKLY TEST OF MAGAZINE SPRINKLER SYSTEM: TEST SATISFACTORY.

F E Horton
LTJG USN

1200-1600 MOORED AS BEFORE. 1330 COMMENCED COMMANDING OFFICERS MATERIAL INSPECTION. 1505 SECURED FROM COMMANDING OFFICERS MATERIAL INSPECTION.

F E Horton
LTJG USN

1600-2000 MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE.

F E Horton
LTJG USN

2000-2400 MOORED AS BEFORE.

F E Horton
LTJG USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R D Mason, Stjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Chukia ATF 96 ZONE DESCRIPTION +10 DATE Sat (Day) 2 (Date) May (Month), 19 64

AT/~~PASSAGE~~ FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	3	7	SCT	2997	75	70	4	1800	Cu			
02	040	3	10	SCT	2997	75	70	4	1800	Cu			
03	040	3	10	SCT	2997	75	70	4	1800	Cu			
04	040	3	10	SCT	2991	73	70	4	1800	Cu			
05	040	3	10	SCT	2991	73	70	4	1800	Cu			
06	040	3	10	SCT	2993	75	70	4	2000	Cu			
07	040	2	10	BKN	2996	75	70	7	2000	Cu			
08	040	1	10	BKN	2996	76	71	7	2000	Cu			
09	040	1	10	BKN	2996	76	71	7	2000	Cu			
10	040	1	10	BKN	2996	76	71	6	2000	Cu			
11	040	3	10	BKN	2996	76	71	6	2000	Cu			
12	040	3	10	SCT	2996	80	75	4	2000	Cu			
13	040	3	10	SCT	2992	80	81	4	2000	Cu			
14	040	3	10	SCT	2993	80	81	4	2000	Cu			
15	040	3	10	SCT	3001	87	82	4	2000	Cu			
16	040	4	10	SCT	3001	87	82	4	2000	Cu			
17	040	4	10	SCT	2998	85	76	4	2000	Cu			
18	040	4	10	SCT	2998	85	76	4	2500	Cu			
19	040	3	10	SCT	2991	83	73	4	2500	Cu			
20	040	3	10	SCT	2991	81	72	4	2500	Cu			
21	040	4	10	SCT	2991	81	72	4	2500	Cu			
22	040	4	10	SCT	2992	79	71	4	2500	Cu			
23	040	4	10	SCT	2993	79	71	4	2500	Cu			
24	040	4	10	SCT	2992	78	70	4	2500	Cu			

POSITION	ZONE	TIME
0800		
L N post		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	

POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
300

REMARKS

00-04 Moored Starboard Side To Out Board of USS Deliver (ARS-23) in Berth Alpha Six. U.S. Naval Station, Pearl Harbor, Hawaii, With Standard Mooring Lines. Modified Material Condition Yoke Set. Receiving Fresh Water and Telephone Service From The Her. Ships Present Include Various Units of U.S Pacific Fleet, Yard, and District Craft. Sopa is Cincpacflt.

JE Horton
LTJG USN

04-08 Moored As Before. 0745 Mustered Crew At Quarters: Absentees: None.

JE Horton
LTJG USN

APPROVED: CC Reed Lt. U. S. N. COMMANDING

EXAMINED: RS Mason, Stjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SATURDAY (Day) 2 (Date) MAY (Month) 1964

08-12 moored as before. 0949 made daily inspection of magazines. Conditions: normal.

J. L. Hollis. CWO2-USN

12-16 moored as before.

J. L. Hollis. CWO.2, USN

16-20 moored as before. 1800 set material condition YOKE (modified). 1830 mustered the inport fire party for instructions. Absentees: none.

J. L. Hollis. CWO2-USN

20-24 moored as before.

J. L. Hollis. CWO-2-USN

APPROVED: C C Beed Lt. U. S. N. COMMANDING

EXAMINED: R S Mason, Stjg U. S. N. NAVIGATOR

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +-10-W DATE SUNDAY (Day) 3 (Date) MAY (Month), 1964

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	3	10	SCT	3001	79	75	4	2500	Cu			
02	040	3	10	SCT	3001	79	75	4	1800	Cu			
03	040	2	10	SCT	3001	78	75	3	1800	Cu			
04	040	1	8	SCT	2992	76	73	2	2000	Cu			
05	040	1	8	SCT	2991	75	72	2	2000	Cu			
06	040	1	10	SCT	2991	74	71	2	2000	Cu			
07	040	1	10	SCT	2991	75	72	2	2000	Cu			
08	050	1	10	SCT	2993	76	70	2	2000	Cu			
09	050	2	10	SCT	2993	79	72	2	2000	Cu			
10	060	2	10	SCT	2993	83	74	3	2000	Cu			
11	060	2	10	SCT	2992	85	75	3	2000	Cu			
12	060	2	10	SCT	2990	89	77	4	2500	Cu			
13	060	2	10	SCT	2990	89	77	4	2500	Cu			
14	050	2	10	SCT	2990	88	79	4	2500	Cu			
15	040	3	10	SCT	2989	88	81	4	1800	Cu			
16	040	4	10	SCT	2986	88	81	4	1800	Cu			
17	060	4	10	SCT	2988	86	73	4	1800	Cu			
18	050	4	10	SCT	2987	83	72	4	1800	Cu			
19	050	4	10	SCT	2987	80	72	4	1800	Cu			
20	055	6	10	SCT	2990	80	72	4	1800	Cu			
21	060	6	10	SCT	2992	79	71	4	1800	Cu			
22	060	5	10	SCT	2994	77	71	4	1800	Cu			
23	055	5	10	SCT	2997	75	70	4	1800	Cu			
24	045	5	8	SCT	2994	75	69	2	2000	Cu			

POSITION	ZONE	TIME
0800 L NW point	BY	
λ	BY	
1200 L	BY	
λ	BY	
2000 L	BY	
λ	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT

POSITION BETWEEN FIXES

MID. L
MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 367

REMARKS

00-04 moored starboard side to USS Deliver (ARS-23) outboard in a nest of two ships, Deliver starboard side to berth alfa 6, U.S. Naval Station, Pearl Harbor, ~~Harbor~~ Hawaii, with standard mooring lines doubled. material condition yoke (modified) set. Receiving potable water and telephone service from the pier. Ships present include various units of the U.S. Pacific Fleet district and small craft. S.O.P.A. is Cin Cpacflt.

J. A. Hollis, CWO 2-USN

04-08 moored as before. 0800 mustered the crew on stations, absentees: None - made daily inspection of magazines. Conditions, normal.

J. A. Hollis, CWO 2

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Mason, Ltjg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) Sunday (Day) 3 (Date) May (Month), 1964

08-12 Moored As before

D S Mason, Stgj, USNR

12-16 Moored as before

D S Mason, Stgj, USNR

16-20 Moored As before. 1800 SET Material condition Yoke (Modified)

D S Mason, Stgj, USNR

20-24 Moored as before.

D S Mason, Stgj, USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: D S Mason, Stgj U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Abnaki ATF-96 ZONE DESCRIPTION +10 DATE Monday (Day) 4 (Date) May (Month), 1964

AT/PASSAGE FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	050	6	8	SCT	2991	75	69	4	2000	Cu			
02	050	4	8	SCT	2990	75	69	3	2000	Cu			
03	050	4	8	SCT	2989	75	69	3	2000	Cu			
04	050	4	8	SCT	2989	75	70	3	2000	Cu			
05	055	3	8	SCT	2990	75	70	3	2000	Cu			
06	060	3	10	SCT	2994	75	70	3	2000	Cu			
07	060	3	10	SCT	2995	77	70	2	2000	Cu			
08	060	3	10	SCT	2996	77	70	2	2000	Cu			
09	090	3	10	SCT	2996	83	70	2	2000	Cu			
10	095	3	10	SCT	2997	85	72	3	2000	Cu			
11	095	3	10	SCT	2997	87	74	3	2000	Cu			
12	095	3	10	SCT	2997	87	75	4	2000	Cu			
13	095	3	10	SCT	2995	87	75	4	2000	Cu			
14	095	3	10	SCT	2993	86	75	4	2000	Cu			
15	095	3	10	SCT	2992	85	74	4	2000	Cu			
16	095	3	10	SCT	2990	84	73	4	2000	Cu			
17	095	3	10	SCT	2992	82	72	4	2000	Cu			
18	095	3	10	SCT	2992	81	71	4	2000	Cu			
19	095	3	10	SCT	2994	80	70	4	2000	Cu			
20	095	3	10	SCT	2994	80	70	4	2000	Cu			
21	095	3	10	SCT	2996	79	70	4	2000	Cu			
22	095	3	10	SCT	2998	77	70	4	2000	Cu			
23	045	3	10	SCT	2998	77	70	4	2000	Cu			
24	045	2	10	SCT	2997	77	70	3	2000	Cu			

POSITION	ZONE	TIME
0800		
L UW Point	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 3.5

FUEL CONSUMED 0000-2400: 210

REMARKS

00-04 Moored starboard side to outboard USS Deliver (ARS-23 in berth A-6, U.S. Naval Station, Pearl Harbor, Hawaii with standard mooring lines doubled. Receiving freshwater and telephone services from the pier. Material condition Yoke modified is set. Ships present include various units of the U.S. Pacific Fleet Yard and district craft. SOPA is CINCPAC FLT.

DS Mason, Ltjg, USNR

04-08 Moored as before. 0745 Mustered the crew at quarters absentees: NONE

DS Mason, Ltjg, USNR

APPROVED: C C Bad Lt. U.S.N. COMMANDING

EXAMINED: DS Mason, Ltjg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (AFF-96) Monday (Day) 4 (Date) May (Month), 19 64

0800-1200 Moored as before. 0915 made daily inspection of magazines. Conditions: normal.

C. P. McKenzie, Ens, USNR

1200-1600 Moored as before. 1200 Commenced preparations for getting underway. 1240 Set the special sea and anchor detail. 1250 completed all preparations for getting underway. Draft forward 13'6", aft 16'3". 1258 Underway for berth Sierra 18 in accordance with verbal orders from port control. Captain and navigator on the bridge, OOD in the conn, steering various courses at various speeds while clearing the berth, and maneuvering to ~~C. P. McKenzie, Ens, USNR~~ moor in Sierra 18. 1351 Moored starboard side to in berth Sierra 18 U.S. Naval Submarine Base, Pearl Harbor with standard mooring lines doubled. 1483 secured the special sea and anchor detail.

C. P. McKenzie, Ens, USNR

1600-2000. Moored as before. 1800 SET MATERIAL CONDITION YOKE Modified

C. P. McKenzie, Ens, USNR

2000-2400 Moored as before 1747 Held fire drill 1755 Secured from fire drill. 1810 Set modified condition yoke.

C. P. McKenzie, Ens, USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R D Jason, Stjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

★ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10 W DATE Tuesday (Day) 5 (Date) May (Month), 19 64

AT/PASSAGE FROM Pearl Harbor Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	3	10	Sct	2994	75	70	3	2000	Cu			
02	040	3	10	Sct	2995	75	70	3	2000	Cu			
03	040	2	10	Sct	2996	76	70	3	2000	Cu			
04	040	2	10	Sct	2996	76	70	3	2000	Cu			
05	040	2	10	Sct	2997	77	70	4	2000	Cu			
06	040	2	10	Sct	2997	77	71	5	2000	Cu			
07	040	2	10	Sct	2999	78	71	3	2000	Cu			
08	040	2	10	Sct	2999	79	72	3	2000	Cu			
09	040	2	10	Sct	3000	80	73	3	2000	Cu			
10	040	2	10	Sct	3000	82	74	3	2000	Cu			
11	040	2	10	Sct	3001	84	74	3	2000	Cu			
12	040	2	10	Sct	3003	86	75	4	2000	Cu			
13	040	2	10	Sct	3002	87	74	5	2000	Cu			
14	040	2	10	Sct	3001	86	77	4	2000	Cu			
15	040	3	10	Sct	3000	85	76	4	2000	Cu			
16	040	2	10	Sct	1999	84	75	5	2000	Cu			
17	040	2	10	Sct	2998	83	74	5	2000	Cu			
18	040	2	10	Sct	2997	82	73	4	2000	Cu			
19	040	4	10	Sct	2996	81	72	4	2000	Cu			
20	040	4	10	Sct	2995	80	71	4	2000	Cu			
21	040	4	10	Sct	2994	80	71	4	2000	Cu			
22	040	4	10	Sct	2993	79	71	4	2000	Cu			
23	040	4	10	Sct	2992	79	71	4	2000	Cu			
24	040	4	10	Sct	2992	78	70	4	2000	Cu			

POSITION	ZONE	TIME
0800 L IN port		BY
λ		BY
1200 L		BY
λ		BY
2000 L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 170

REMARKS

00-04 Moored starboard side to in berth Sierra Eighteen apt, US Naval Submarine Base, Pearl Harbor, Hawaii with standard mooring line doubled. Material condition Yoke modified is set. Receiving telephone, steam and potable water services from the Pier. Ships present include various units of the US Pacific Fleet district and yard craft. Logs is complete.

C. P. McKenzie, En, USNR

04-08 Moored as before. 0745 Mustered the crew at quarters. absentees: none.

C. P. McKenzie, En, USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Mason, Stjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF96 TUESDAY (Day) 5 (Date) MAY (Month) 19 64

0800-1200 MOORED AS BEFORE. 0927 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES.

J E Horton
LTJG USN

1200-1600 MOORED AS BEFORE.

J E Horton
LTJG USN

1600-2000 MOORED AS BEFORE 1800 SET MODIFIED MATERIAL CONDITION YOKE.

J E Horton
LTJG USN

2000-2400 MOORED AS BEFORE

J E Horton
LTJG USN

APPROVED:

C C Reed Lt. U. S. N. COMMANDING

EXAMINED:

R S Mason, Stjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE WEDNESDAY (Day) 6 (Date) MAY (Month), 19 64

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	4	10	Sct	2996	75	70	4	1800	Cu			
02	040	4	10	Sct	2997	75	70	4	1800	Cu			
03	040	3	10	Sct	2996	76	70	4	2000	Cu			
04	040	3	10	Sct	2997	77	70	4	2000	Cu			
05	040	3	10	Sct	2999	77	71	4	2000	Cu			
06	040	2	10	Sct	2999	79	71	4	2000	Cu			
07	040	2	10	Sct	2999	79	72	4	2000	Cu			
08	040	2	10	Sct	2998	80	72	4	2000	Cu			
09	040	2	10	Sct	2998	81	73	4	2000	Cu			
10	050	2	10	Sct	2997	82	73	4	2000	Cu			
11	050	2	10	Sct	2998	83	73	4	2000	Cu			
12	050	2	10	Sct	2998	84	75	4	2000	Cu			
13	050	3	10	Sct	2999	85	75	4	2000	Cu			
14	050	3	10	Sct	2998	84	75	4	2000	Cu			
15	050	3	10	Sct	2997	83	74	4	2000	Cu			
16	050	3	10	Sct	2996	82	74	4	2000	Cu			
17	050	3	10	Sct	2996	81	74	4	2000	Cu			
18	050	3	10	Sct	2995	80	73	4	2000	Cu			
19	060	3	10	Sct	2995	81	73	4	2000	Cu			
20	050	3	10	Sct	2994	80	73	4	2000	Cu			
21	050	3	10	Sct	2993	79	74	4	2000	Cu			
22	045	3	10	Sct	2991	78	72	4	2000	Cu			
23	045	3	10	Sct	2992	77	72	4	2000	Cu			
24	045	3	10	Sct	2991	77	71	4	2000	Cu			

POSITION	ZONE	TIME
0800 L	IN PORT	BY
λ		BY
1200 L		BY
λ		BY
2000 L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT

POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 78

REMARKS

00-04 MOORED STARBOARD SIDE TO IN BERTH SIERRA EIGHTEEN US SUBMARINE BASE, PEARL HARBOR HAWAII WITH STANDARD MOORING LINES. MODIFIED MATERIAL CONDITION YOKE SET. RECEIVING STEAM, ELECTRICAL POWER, FRESH WATER, AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, YARD, AND DISTRICT CRAFT. SOPA IS CINC PAC FLT.

J E Horton
LTJG USN

04-08 MOORED AS BEFORE. 0745 MUSTERED CREW AT QUARTERS: ABSENTEES: NONE

J E Horton
LTJG USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Mason, Stig U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) WEDNESDAY (Day) 6 (Date) MAY (Month) 1964

08-12 MOORED AS BEFORE. 0850 MADE DAILY INSPECTION OF MAGAZINES. CONDITIONS: NORMAL.

J.L. Hollis, CWO-2, USN

12-16 MOORED AS BEFORE.

J.L. Hollis, CWO-2, USN

16-20 MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE Modified. 1807 HELD INPORT FIRE DRILL. 1830 SECURED FROM FIRE DRILL. ABSENTEES: NONE.

J.L. Hollis, CWO-2, USN

20-24 MOORED AS BEFORE.

J.L. Hollis, CWO-2, USN

APPROVED: C.C. Reed Lt. U. S. N. COMMANDING

EXAMINED: R.D. Mason, Stjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10-W DATE THURSDAY (Day) 7 (Date) MAY (Month), 1964

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	3	10	Sct	2999	75	70	3	1800	Cu			
02	040	3	10	Sct	2995	74	69	3	1800	Cu			
03	040	3	10	Sct	2993	74	69	3	2000	Cu			
04	040	2	10	Sct	2992	73	68	3	2000	Cu			
05	040	1	10	Sct	2993	76	68	3	2000	Cu			
06	030	1	10	Sct	2994	77	69	3	2000	Cu			
07	030	1	10	Sct	2996	78	70	4	2000	Cu			
08	—	—	10	Sct	2998	79	71	5	2000	Cu			
09	—	—	10	BKN	2996	80	72	6	2000	Cu			
10	—	—	10	BKN	2996	81	71	7	2000	Cu			
11	040	3	10	BKN	2994	83	72	7	2000	Cu			
12	040	3	10	BKN	2993	85	72	7	2000	Cu			
13	040	4	10	BKN	2992	87	72	7	2000	Cu			
14	040	4	10	BKN	2991	86	72	8	2000	Cu			
15	040	4	10	BKN	2990	85	72	8	2000	Cu			
16	040	4	10	BKN	2991	85	72	7	2000	Cu			
17	040	4	10	BKN	2991	84	73	6	2000	Cu			
18	040	4	10	Sct	2991	83	72	4	2000	Cu			
19	040	4	10	Sct	2992	82	71	3	2000	Cu			
20	040	4	10	Sct	2992	81	70	2	2000	Cu			
21	040	4	10	Sct	2993	80	70	3	2000	Cu			
22	040	4	10	Sct	2992	79	70	2	2000	Cu			
23	040	3	10	Sct	2991	79	70	3	2000	Cu			
24	040	3	10	Sct	2991	78	70	2	2000	Cu			

POSITION	ZONE	TIME
0800		
L IN PORT		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

US NAVAL SUBMARINE BASE, PEARL HARBOR HAWAII

00-04 MOORED STBD. SIDE TO SIERRA 8 AFT. WITH STD MOORING LINES DOUBLED. MATERIAL CONDITION YOKE (modified) SET. RECEIVING POTABLE WATER - ELECTRICAL POWER and TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDES VARIOUS UNITS OF THE US PACIFIC FLEET DISTRICT AND SMALL CRAFT. SOPA IS CinC PAC FLT.

J. L. Hollis, CWO-2, USN

04-08 MOORED AS BEFORE. MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

J. L. Hollis, CWO2- USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R D Mason, Stgj U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) Thursday (Day) 7 (Date) May (Month), 19 64

08-12 Moored as before. 0813 commenced fueling from berth S-18, draft Fwd 13'5" aft 15'1". 0910 fueling completed, draft 14'5" fwd 15'9" aft. 1023 Made daily inspection of magazine conditions NORMAL.

R S Mason, Stjg, USNR

12-16 Moored as before.

R S Mason, Stjg, USNR

16-20. Moored as before. 1800 Set material condition Yoke (Modified)

R S Mason, Stjg, USNR

20-24 Moored as before

R S Mason, Stjg, USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Mason, Stjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10 DATE Friday (Day) 8 (Date) May (Month), 19 64

AT/PASSAGE FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	3	10	Sct	2991	77	72	3	7000	Cu			
02	040	3	10	Sct	2991	78	73	3	7000	Cu			
03	040	3	10	Sct	2992	77	74	2	7000	Cu			
04	040	3	10	Sct	2992	78	74	2	7000	Cu			
05	040	3	10	Sct	2992	78	74	2	7000	Cu			
06	040	2	10	Sct	2994	79	74	2	7000	Cu			
07	040	2	10	Sct	2995	80	75	2	7000	Cu			
08	040	2	10	Sct	2996	81	75	2	7000	Cu			
09	040	2	10	Sct	2997	82	75	2	7000	Cu			
10	040	2	10	Sct	2998	83	75	2	7000	Cu			
11	040	2	10	Sct	2998	84	75	2	7000	Cu			
12	040	2	10	Sct	2997	85	76	2	7000	Cu			
13	040	2	10	Sct	2998	86	75	2	7000	Cu			
14	040	2	10	Sct	2997	85	75	2	7000	Cu			
15	040	2	10	Sct	2996	84	75	2	7000	Cu			
16	040	2	10	Sct	2995	82	74	2	7000	Cu			
17	040	2	10	Sct	2994	81	74	2	7000	Cu			
18	040	2	10	Sct	2994	80	73	2	7000	Cu			
19	040	2	10	Sct	2994	79	72	2	7000	Cu			
20	040	2	10	Sct	2993	78	71	2	7000	Cu			
21	040	2	10	Sct	2994	78	71	2	7000	Cu			
22	040	2	10	Sct	2994	80	71	2	7000	Cu			
23	040	2	10	Sct	2994	79	71	2	7000	Cu			
24	040	2	10	Sct	2994	79	71	2	7000	Cu			

POSITION	ZONE	TIME
0800		
L in port		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	
POSITION BETWEEN FIXES	
MID. L	
MID. λ	

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
8

REMARKS

00-04 Moored starboard side to in berth S-18 AFT, U.S Naval Submarine Base, Pearl Harbor, Hawaii with standard mooring lines doubled. Material condition Yoke (Modified) is set. Receiving water, electrical and telephone services from the pier. Ships present include various units of the U.S Pacific Fleet, yard and district craft. SOPA is CINCPACFLT.

R S Mason, Stg.

04-08. Moored as before. 0245 Mustered the crew at quarters absentees: none.

R S Mason, Stg, USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Mason, Stg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF 96) FRIDAY (Day) 8 (Date) MAY (Month) 19 64

0800-1200 Moored as before. 1030 Made daily inspection of the magazines. Conditions: normal. 1030 Made weekly ~~test of the~~ magazine sprinkling system. Test: satisfactory.

C. P. McKenzie, Ens, USNR

1200-1600 Moored as before.

C. P. McKenzie, Ens, USNR

1600-2000 Moored as before. 1626 Mustered ~~the~~ rescue and assistance party. Absentees: none. 1800 Set condition yoke modified.

C. P. McKenzie, Ens, USNR

2000-2400 Moored as before.

C. P. McKenzie, Ens, USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Mason, Jr. Lt. U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10 W DATE Saturday (Day) 9 (Date) May (Month), 19 64

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	3	10	BKN	2992	95	69	6	2000	Cu			
02	040	3	10	Sct	2991	74	69	4	2000	Cu			
03	035	1	10	Sct	2990	74	68	4	2000	Cu			
04	040	1	10	Sct	2990	74	68	4	2000	Cu			
05	040	1	10	Sct	2990	74	68	4	2000	Cu			
06	040	1	10	Sct	2990	74	68	3	2000	Cu			
07	040	1	10	Sct	2992	74	68	4	2000	Cu			
08	040	2	10	Sct	2994	76	70	4	2000	Cu			
09	045	2	10	Sct	2993	79	70	5	2000	Cu			
10	040	2	10	Sct	2992	82	71	5	2000	Cu			
11	040	2	10	Sct	2991	84	72	4	2000	Cu			
12	040	1	10	Sct	2991	85	73	4	2000	Cu			
13	040	2	10	Sct	2990	86	74	4	2000	Cu			
14	040	2	10	Sct	2990	87	75	5	2000	Cu			
15	040	2	10	Sct	2991	86	75	5	2000	Cu			
16	040	2	10	Sct	2992	86	75	5	2000	Cu			
17	040	3	10	Sct	2992	85	75	5	2000	Cu			
18	040	3	10	Sct	2995	83	75	5	2000	Cu			
19	040	3	10	Sct	2995	83	74	5	2000	Cu			
20	040	3	10	BKN	2995	82	74	4	2000	Cu			
21	040	3	10	BKN	2996	81	73	4	2000	Cu			
22	040	3	10	BKN	2997	79	72	4	2000	Cu			
23	040	3	10	L	2995	77	71	4	2000	Cu			
24	040	2	10	BKN	2994	77	70	4	2000	Cu			

POSITION	ZONE	TIME
0800 L	LW POST	BY _____
λ	_____	BY _____
1200 L	_____	BY _____
λ	_____	BY _____
2000 L	_____	BY _____
λ	_____	BY _____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 Moored starboard side to in berth sierra eighteen (S-18) apt, U S Naval Submarine Base, Pearl Harbor Hawaii with standard mooring lines doubled. Receiving telephone, steam, electric and potable water services from the pier. Modified condition yoke is set. Ships present include various units of the U S Pacific Fleet District and yard dept. Supo is Cinepacflt.

C. P. McKenzie, Ens, USNR

04-08 Moored as before. 0745 Mustered the crew on stations absentees: none.

C. P. McKenzie Ens, USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Mason, Stjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 SATURDAY (Day) 9 (Date) MAY (Month), 1964

0800-1200 MOORED AS BEFORE. 0806 MADE DAILY INSPECTION OF MAGAZINES: CONDITIONS NORMAL.

H E Horton
LTJG USN

1200-1600 MOORED AS BEFORE.

H E Horton
LTJG USN

1600-2000 MOORED AS BEFORE 1800 SET MATERIAL CONDITION YOKE.

H E Horton
LTJG USN

2000-2400 MOORED AS BEFORE.

H E Horton
LTJG USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Moore, Stjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE SUNDAY (Day) 10 (Date) MAY (Month), 19 64

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	2	10	BKN	2994	72	69	6	1500	Cu			
02	040	2	10	sct	2992	77	69	5	1500	Cu			
03	040	2	10	sct	2990	77	69	3	1500	Cu			
04	040	2	10	sct	2989	77	68	3	1500	Cu			
05	040	2	10	sct	2988	75	68	3	2000	Cu			
06	040	2	10	sct	2990	76	69	3	2000	Cu			
07	040	2	10	sct	2991	77	70	3	2000	Cu			
08	040	2	10	sct	2992	80	71	3	2000	Cu			
09	040	2	10	sct	2993	81	72	3	2000	Cu			
10	040	2	10	sct	2993	84	73	3	2000	Cu			
11	040	2	10	sct	2992	85	74	3	2000	Cu			
12	040	2	10	sct	2991	85	74	3	2000	Cu			
13	040	2	10	sct	2990	86	73	3	2000	Cu			
14	040	2	10	sct	2990	84	72	3	2000	Cu			
15	040	2	10	sct	2988	85	71	3	2000	Cu			
16	040	2	10	sct	2988	82	70	3	2000	Cu			
17	040	2	10	sct	2990	79	70	3	2000	Cu			
18	040	2	10	sct	2991	79	70	2	2000	Cu			
19	040	2	10	sct	2992	79	70	2	2000	Cu			
20	040	2	10	sct	2992	77	69	3	2000	Cu			
21	040	2	10	sct	2994	77	69	3	2000	Cu			
22	040	2	10	sct	2994	76	69	3	2000	Cu			
23	040	2	10	sct	2995	77	68	3	2000	Cu			
24	040	2	10	sct	2994	77	68	3	2000	Cu			

POSITION	ZONE	TIME
0800		
L IN port		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 MOORED STARBOARD SIDE TO, IN BERTH SIERRA EIGHTEEN U.S. SUBMARINE BASE, PEARL HARBOR, HAWAII, WITH STANDARD MOORING LINES. MODIFIED MATERIAL CONDITION YOKE SET. RECEIVING ELECTRICAL POWER, FRESH WATER, AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. PACIFIC FLEET, YARD, AND DISTRICT CRAFT. SOPA IS CINC PAC FLT.

F E Horton
LTJG USN

04-08 MOORED AS BEFORE. 0745 MUSTERED CREW ON STATIONS: ABSENTEES: NONE

F E Horton
LTJG USN

APPROVED: C C Red Lt. U. S. N. COMMANDING

EXAMINED: R D Mason, Stgg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SUNDAY (Day) 10 (Date) MAY (Month) 1964

08-12 MOORED AS BEFORE. ~~0800 MUSTERED THE CREW AT STATIONS. ABSENTEES: NONE.~~ 1020 MADE DAILY INSPECTION OF MAGAZINES. CONDITIONS: NORMAL.

J. L. Hollis, CWO-2, USN

12-16 MOORED AS BEFORE.

J. L. Hollis, CWO-2, USN

16-20 MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE (modified).

J. L. Hollis, CWO-2, USN

20-24 MOORED AS BEFORE.

J. L. Hollis, CWO-2, USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R D Larsen, Stjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

★ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10-W DATE MONDAY (Day) 11 (Date) MAY (Month), 1964

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	050	2	10	Sct	2995	75	69	3	2000	Cu			
02	050	2	10	Sct	2994	74	69	3	2000	Cu			
03	050	2	10	Sct	2993	74	69	3	2000	Cu			
04	070	2	10	Sct	2992	74	69	3	2000	Cu			
05	070	2	10	Sct	2992	74	69	3	2000	Cu			
06	070	2	10	Sct	2992	74	70	3	2000	Cu			
07	070	2	10	Sct	2994	75	70	3	2000	Cu			
08	070	4	10	Sct	2996	78	70	3	2000	Cu			
09	060	4	10	Sct	2997	78	71	3	2000	Cu			
10	110	10	10	Sct	2996	77	71	3	2000	Cu			
11	110	12	10	Sct	2996	78	71	3	2000	Cu			
12	110	11	10	Sct	2998	79	72	3	2000	Cu			
13	105	15	10	Sct	2999	80	72	3	2000	Cu			
14	100	15	10	Sct	3000	84	72	3	2000	Cu			
15	100	10	10	Sct	3000	85	72	3	2000	Cu			
16	100	7	10	Sct	3001	81	72	3	2000	Cu			
17	100	6	10	Sct	3000	80	72	3	2000	Cu			
18	040	6	10	Sct	2999	79	72	3	2000	Cu			
19	040	5	10	Sct	2999	79	72	3	2000	Cu			
20	040	7	10	Sct	2999	78	72	3	2000	Cu			
21	040	7	10	Sct	2998	77	71	3	2000	Cu			
22	040	7	10	Sct	2997	77	71	3	2000	Cu			
23	040	7	10	Sct	2996	77	70	3	2000	Cu			
24	040	7	10	Sct	2995	77	70	3	2000	Cu			

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L 21 11.2		BY 3
λ 157 49.8		BY 3
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM 2000 (ZT) 11 May (Date)

TO 2300 (ZT) 11 May (Date)

SET 090

DRIFT 1 KTS

POSITION BETWEEN FIXES

MID. L 21 00 N

MID. λ 157 30 W

MILES STEAMED 0000-2400: 69.6

FUEL CONSUMED 0000-2400: 797

REMARKS

00-04 MOORED STARBOARD SIDE TO BERTH SIERRA 18 (US Naval Submarine Base Pearl Harbor, Hawaii) AFT. FOUR STD MOORING LINES DOUBLED. MATERIAL CONDITION YOKE (modified) SET. RECEIVING TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET DISTRICT AND SMALL CRAFT. S.O.P.A. IS C.in.C. PAC FLT.

J.L. Hollis, CWO-2, USN

04-08 MOORED AS BEFORE. 0715 COMMENCED MAKING PREPERATIONS FOR GETTING UNDERWAY. 0730 MUSTERED THE CREW ON STATIONS, ABSENTEES: NONE. 0745 SET THE SPECIAL SEA AND ANCHOR DETAIL. 0746 TESTED THE GENERAL + CHEMICAL ALARMS. TEST SATISFACTORY. CAPTAIN AND NAVIGATOR ON THE BRIDGE.

J.L. Hollis, CWO-2, USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Mason, Stfj U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) MONDAY (Day) 11 (Date) MAY (Month), 1964

08-12 MOORED AS BEFORE. 0808 COMMENCED MANEUVERING TO CLEAR BERTH. 0809 UNDERWAY IN ACCORDANCE WITH COMFLT TRA GPU OP-ORDER 20-64. DRAFT 14'-6" FWD, 15'-6" AFT. MANEUVERING ON VARIOUS COURSES AND SPEEDS TO CONFORM TO THE INNER HARBOR. 0817 ENS. HALL HAS THE CONN. SPEED 6.6 KTS. 0819 C/C 311°, 0825 C/C 250°, 0830 C/S 9.5 KTS. 0832 C/C 230°. 0833 PASSED BUOY (20) TO PORT 100 YARDS. 0834 Base COURSE 180°. 0842 C/C 172°, 0846 C/C 155°, PASSED BUOY (6) ABEAM TO PORT 100 YARDS. 0847 C/S 12.3 KTS. 0850 C/C 157°, PASSED BUOY (4) ABEAM TO PORT 150 YARDS. 0851 LT. (jg) HORTON HAS THE DECK. JdH

J.D. Hollis, CWO2, USN

08-12 (Con't) Underway AS BEFORE. 0855 SECURED THE SPECIAL SEA AND ANCHOR DETAIL. PASSED BUOY (1) ABEAM TO STBD. 75 YARDS. 0856 C/C 152°, 0900 C/S 10.0 KTS. 0908 ENTERED INTO INTERNATIONAL WATERS. 0910 C/C 117°. 0915 C/C 120°, COMMENCED EXERCISE Z-111-E, SIX HOUR ECONOMY TRIAL. 0950 C/C 180°, 1035 MADE DAILY INSPECTION OF MAGAZINES. CONDITIONS: NORMAL. 1102 C/C 000°. ~~1129~~ JdH

L.E. Horton
LTJG USN

12-16 UNDERWAY AS BEFORE. 1214 C/C 270°, 1300 C/C 265°. 1301 C/C 270°. ~~1304~~ JdH

J.D. Hollis. CWO2 - USN

12-16 (con't) UNDERWAY AS BEFORE. 1320 C/C 090°, 1334 C/C 095°. 1445 C/C 270°, 1520 SECURED FROM EXERCISE Z-111-E. COMPLETED TRIAL SATISFACTORY. 1523 C/C 337°, 1530 C/C 340°. JdH

J.D. Hollis. CWO2 USN

12-16 (CONT) UNDERWAY AS BEFORE. 1534 C/C TO 345° C/S TO 12.3 KTS. 1542 SET SPECIAL SEA AND ANCHOR DETAIL. CAPTAIN AND NAVIGATOR ON THE BRIDGE. OOD HAS THE CONN. 1543 C/C TO 335° 1548 C/C TO 332° PASSED PEARL HARBOR CHANNEL BUOY TWO ABEAM TO STBD APPROX 100 YDS. COMMENCED MANEUVERING VARIOUS COURSES AND SPEEDS WHILE CONFORMING TO PEARL HARBOR CHANNEL. 1554 PASSED BUOY 4 ABEAM TO STBD 1557 PASSED BUOY 6 ABEAM TO STBD. 1559 COMMENCED MAEUVERING VARIOUS COURSES AND SPEEDS TO APPROACH AND MOOR IN BERTH ALFA TWO. US NAVAL STATION, PEARL HARBOR, HAWAII

L.E. Horton LTJG USN

16-20 (CONT) MANEUVERING AS BEFORE. 1606 MOORED PORT SIDE TO IN BERTH ALFA TWO US NAVAL STATION, PEARL HARBOR HAWAII WITH STANDARD MOORING LINES. SECURED SPECIAL SEA AND ANCHOR DETAIL.

L.E. Horton LTJG USN

20-24 MOORED AS BEFORE.

J.D. Hollis CWO2, USN

APPROVED: C.C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R.S. Mason, Ltjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U.S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10W DATE TUESDAY (Day) 12 (Date) MAY (Month), 1964

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	2	10	Sct	2997	77	71	3	2000	Cu			
02	040	2	10	Sct	2996	76	70	3	2000	Cu			
03	040	1	10	Sct	2994	75	69	4	2000	Cu			
04			10	Sct	2994	76	70	4	2000	Cu			
05			10	Sct	2994	76	70	4	2000	Cu			
06			10	Sct	2995	78	71	4	2000	Cu			
07			10	Sct	2996	79	72	4	2000	Cu			
08			10	Sct	2997	80	73	4	2000	Cu			
09			10	Sct	2998	84	74	4	2000	Cu			
10	050	4	10	Sct	2997	85	75	4	2000	Cu			
11	050	4	10	Sct	2995	87	75	4	2000	Cu			
12	060	4	10	Sct	2994	89	75	4	2000	Cu			
13	060	3	10	Sct	2992	90	74	4	2000	Cu			
14	055	3	10	Sct	2991	92	77	4	2000	Cu			
15	050	3	10	BKN	2991	92	77	4	2000	Cu			
16	040	2	10	BKN	2990	90	75	7	2000	Cu			
17	040	3	10	BKN	2992	91	75	7	2000	Cu			
18	040	3	10	BKN	2992	87	74	7	2000	Cu			
19	045	3	10	BKN	2992	84	73	7	2000	Cu			
20	040	3	10	BKN	2992	83	72	7	2000	Cu			
21	040	3	10	BKN	2993	82	71	7	2000	Cu			
22	040	3	10	BKN	2994	81	70	7	2000	Cu			
23	040	3	10	BKN	2995	80	70	7	2000	Cu			
24	040	3	10	BKN	2995	79	70	7	2000	Cu			

POSITION	ZONE	TIME
0800 L IN port	BY	
λ	BY	
1200 L	BY	
λ	BY	
2000 L	BY	
λ	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)
SET _____
DRIFT _____

POSITION BETWEEN FIXES

MID. L _____
MID. λ _____

MILES STEAMED 0000-2400: 2.5

FUEL CONSUMED 0000-2400: 283

REMARKS

00-04 Moored portside to in berth A-2, U.S. NAval Station Pearl Harbor, Hawaii with Standard mooring lines doubled Material condition Yoke (Modified is set. Receiving fresh water and telephone services from the pier. Ships present include various units of the U.S. Pacific Fleet, yard and district craft. SOPA is CINCPACFLT.

RS Mason Stjg, USNR

04-08 Moored as before. 0615 Commenced making preparations for getting underway. 0630 Mustered the crew on stations. absentees none. 0635 Set the special sea and anchor detail. Captain and Navigator on the bridge. OOD has the conn. 0644 completed making preparations for getting underway draft fwd 14' 1/2" aft 16' 4". 0700 underway for NAD Oahu in accordance with COMFLTRAGRU OPORDER 20-64. 0702 Commenced maneuvering on various courses at various speeds to clear berth and head fair in the channel. 0709 C/S TO 9.5 KTS C/C to 350

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: RS Mason, Stjg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Tuesday (Day) 12 (Date) May (Month), 19 64

04-08(CONT) 0710 Passed buoy 11 abeam to port distance about 150 yards. 0712 Passed buoy 13 abeam to port distance about 125 yards 0718 C/C TO 282°. 0720 C/C TO 280. 0721 Captain has the CONN. 0722 ~~Commenced~~ commenced maneuvering on various courses at various speeds to go alongside YF 692, berth W-4, NAD Oahu. ~~0733~~ 0730 Moored starboard side to YF 692, U.S. Naval Ammunition Depot, Oahu. 0733 commenced making preparations to tow barge YF-962 to sea for deep water ammunition dump. 0735 Secured the special sea and anchor detail

RS Nason, Ltjg

08-12 Moored as before 0805 ammunition dump cancelled 0813 underway from berth Whiskey Four. Captain & Navigator on the bridge. OOD has the conn steering various courses at various speeds while maneuvering to clear the berth and moor berth Alfa Two. 0819 Passed buoy #9 abeam to stbd, 100 yds 0820 passed buoy #7 abeam to stbd 100 yds. 0821 Passed buoy #5 abeam to stbd. 0827 Passed buoy #3 abeam to stbd. 0829 passed buoy #1 abeam to stbd. 0830 buoy #13 abeam to stbd, 100 yds. 0831 Executive officer has the conn. 0844 Moored port side to in berth Alfa-Two (a-2) US Naval Base, Pearl Harbor, Hawaii with standard mooring lines doubled. Ships present include various units of the US Pacific Fleet, district, and yard craft. SOPA is Cincpacflt. 0853 Secured the special sea and anchor detail. 0855 Exercised the crew at General Quarters 0858 set condition Zebra. 0923 set modified condition yoke. 0925 Secured from General Quarters. 1118 Made daily inspection of magazines; conditions: normal

12-16 Moored as before. C. P. McKenzie, Ens, USMR

C. P. McKenzie, Ens, USMR ~~C. P. McKenzie, Ens, USMR~~

16-20 Moored as before 1730 Mustered the duty fireparty. Absentees: none. 1800 set condition yoke modified.

C. P. McKenzie, Ens, USMR

20-24 Moored as before.

C. P. McKenzie, Ens, USMR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: RS Nason, Ltjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U.S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 W DATE WEDNESDAY (Day) 13 (Date) MAY (Month), 19 64

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	050	4	10	Set	2995	79	68	3	2000	Cu			
02	050	4	10	Set	2994	79	68	4	2000	Cu			
03	050	4	10	Set	2993	78	68	5	2000	St			
04	045	4	10	Set	2994	78	69	5	2000	St			
05	045	4	10	Set	2992	78	69	3	2000	St			
06	045	4	10	Set	2990	78	70	3	2000	St			
07	045	6	10	Set	2991	78	70	3	2000	St			
08	045	6	10	Set	2994	81	70	4	2000	St			
09	045	6	10	Set	2993	83	71	4	2000	St			
10	045	6	10	Set	2991	85	72	4	2000	Cu			
11	045	6	10	Set	2990	89	73	5	2000	Cu			
12	045	6	10	Set	2990	90	74	5	2000	Cu			
13	045	2	10	Set	2988	91	75	5	2000	Cu			
14	045	2	10	Set	2986	90	75	5	2000	Cu			
15	045	2	10	Set	2985	90	70	5	2000	Cu			
16	045	3	10	Set	2984	87	70	5	2000	Cu			
17	045	3	10	Set	2985	85	70	5	2000	Cu			
18	045	3	10	Set	2986	84	70	3	2000	Cu			
19	045	3	10	Set	2986	83	70	4	2000	Cu			
20	045	3	10	Set	2987	82	71	5	2000	Cu			
21	045	3	10	Set	2987	81	70	5	2000	Cu			
22	045	3	10	Set	2987	80	70	4	2000	Cu			
23	045	3	10	Set	2987	79	70	4	2000	Cu			
24	045	3	10	Set	2988	79	71	4	2000	Cu			

POSITION	ZONE	TIME
0800 L IN PORT		BY
λ		BY
1200 L		BY
λ		BY
2000 L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 130

REMARKS

00-04 Moored port side to in berth Alfa Two (A-2) US Naval Base, Pearl Harbor, Hawaii with standard mooring lines doubled. Coditon yoke modified is set. Receivin telephone and fresh water services from the pier. Ships present Various units of the US Pacific Fleet, District and yard Craft. Sopa is Cincpacflt.

C. P. McKenzie, As, USNR

04-08 Moored as before 0745 Mustered the crew at quarters absentees none.

C. P. McKenzie, Ens, USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Mason, Sltjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 WEDNESDAY (Day) 13 (Date) MAY (Month), 19 64

0800-1200 MOORED AS BEFORE. 1016 EXERCISED CREW AT GENERAL QUARTERS. 1130 SECURED FROM GENERAL QUARTERS. SET CONDITION YOKE. MODIFIED

J E Hooton
LTJG USN

1200-1600 MOORED AS BEFORE. 1255 EXERCISED CREW AT GENERAL QUARTERS. 1417 SECURED FROM GENERAL QUARTERS. SET MODIFIED MATERIAL CONDITION YOKE

J E Hooton
LTJG USN

1600-2000 MOORED AS BEFORE. 1800 SET MODIFIED MATERIAL CONDITION YOKE.

J E Hooton
LTJG USN

2000-2400 MOORED AS BEFORE.

J E Hooton
LTJG USN.

APPROVED:

C C Reed Lt. U. S. N. COMMANDING

EXAMINED:

D S Mason, Stjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ASHAKI ATF-96 ZONE DESCRIPTION +10 DATE THURSDAY (Day) 14 (Date) MAY (Month), 19 64

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	040	3	10	Sct	2988	80	69	5	2000	Cu			
02	040	3	10	Sct	2988	80	69	5	2000	Cu			
03	040	3	10	Sct	2986	80	69	5	2000	Cu			
04	040	3	10	Sct	2984	80	69	5	2000	Cu			
05	040	3	10	Sct	2984	79	69	5	2000	Cu			
06	040	3	10	Sct	2985	80	69	5	2000	Cu			
07	040	3	10	Sct	2987	81	70	5	2000	Cu			
08	040	3	10	Sct	2986	82	71	4	2000	Cu			
09	040	3	10	Sct	2984	83	73	4	2000	Cu			
10	040	3	10	Sct	2983	84	74	4	2000	Cu			
11	040	3	10	Sct	2984	85	75	4	2000	Cu			
12	040	3	10	Sct	2982	86	75	4	2000	Cu			
13	040	3	10	Sct	2982	85	74	4	2000	Cu			
14	040	3	10	Sct	2982	85	74	4	2000	Cu			
15	040	3	10	Sct	2982	84	74	4	2000	Cu			
16	040	3	10	Sct	2982	83	73	4	2000	Cu			
17	040	3	10	Sct	2980	82	73	3	2000	Cu			
18	040	3	10	Sct	2982	81	72	3	2000	Cu			
19	040	3	10	Sct	2983	80	72	3	2000	Cu			
20	040	3	10	Sct	2984	79	71	3	2000	Cu			
21	040	3	10	Sct	2986	78	70	3	2000	Cu			
22	040	3	10	Sct	2988	77	70	3	2000	Cu			
23	040	3	10	Sct	2989	77	70	3	2000	Cu			
24	040	3	10	Sct	2989	77	70	3	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L AT PORT		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 24.0

FUEL CONSUMED 0000-2400: 465

REMARKS

00-04 MOORED PORT SIDE TO IN BERTH ALFA TWO, U.S. NAVAL STATION, PEARL HARBOR, HAWAII, WITH STANDARD MOORING LINES DOUBLED, MODIFIED MATERIAL CONDITION YOKE SET. RECEIVING FRESH WATER AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, YARD, AND DISTRICT CRAFT. SOPA IS CINCPACFLT.

S E Horton
LTJG USN

04-08 MOORED AS BEFORE. 0700 MUSTERED CREW ON STATIONS. ABSENTEES NONE. COMMENCED PREPARATIONS FOR GETTING UNDER WAY. 0710 SET SPECIAL SEA AND ANCHOR DETAIL. CAPTAIN AND NAVIGATOR ON THE BRIDGE. OOD WAS THE CONN. 0733 COMMENCED MANEUVERING TO CLEAR THE PIER. 0736 UNDERWAY FROM U.S. NAVAL STATION, PEARL HARBOR, BERTH ALFA TWO ENROUTE

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R D Mason, Stgy U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 THURSDAY (Day) 14 (Date) MAY (Month) 19 64

0400-0800 (CONT) TO LOCAL OP. AREA IN ACCORDANCE COMFAT TRA GRU OP-ORD 20-64. MANEUVERING VARIOUS COURSES AND SPEEDS TO CONFORM WITH PEARL HARBOR CHANNEL 0746 PASSED BUOY SEVEN ABEAM TO STBD APPROX. 150 YDS. 0755 PASSED BUOY ONE ABEAM TO STBD APPROX 500 YDS 0758 SECURED SPECIAL SEA AND ANCHOR DETAIL. SET COURSE 170° SPEED 9.7 KTS

J E Hatton
ATSG USN

0800-1200 Underway As Before. 0806 C/C TO 135° 0840 C/S TO 6.7 KTS. 0856 C/C TO 000 0948 EXERCISED CREW AT GENERAL QUARTERS

J E Hatton
ATSG USN.

0800-1200 (CONT) 0921 Condition Zebra set. 0940 C/C 320° 1008 C/C 334° 1020 C/C 333° 1037 Entered Inland waters. 1045 C/C 335° 1048 Set Material Condition Yoke modified. 1049 Secured from General Quarters. 1050 Set the Special Sea and Anchor Detail. Captain and Navigator on the bridge, OOD has the Conn. 1052 made daily inspection of magazines. Conditions Normal. 1053 C/S 9.7 Kts. 1108 Pastell buoy #1 abeam to por approximately 100 yards. 1106 Passed buoy #3 abeam to por approximately 100 yards. 1107 C/C 336° 1109 C/C 338° 1110 Passed buoy #5 abeam to por approximately 100 yards. 1111 C/C 335° 1112 C/S 6.7 Kts, C/C 347°. Passed buoy #7 abeam to port approximately 100 yards. 1113 Passed buoy #9 abeam to port approximately 100 yards. Commenced maneuvering variety courses and speed to approach and moor starboard side to Berth Alfa Two, U.S. naval Station, Pearl Harbor, Hawaii. 1119 Captain has the Conn. 1170 moored port side to Berth Alfa Two, US Naval Station, Pearl Harbor, Hawaii with standard mooring lines. 1167 1126 Secured the Special Sea and Anchor Detail

J A Hall
Ltjg USNR

1200-1600 - MOORED AS AS BEFORE. 1240 COMMENCED MAKING PREPERATIONS FOR GETTING UNDERWAY. 1300 SET THE SPECIAL SEA AND ANCHOR DETAIL. COMMENCED EXERCISE - 2-43-S (EMERGENCY FIRE FIGHTING. EXERCISED THE CREW AT GENERAL QUARTERS. CAPTAIN AND NAVIGATOR ON THE BRIDGE. 1302 THE CAPTAIN HAS THE CONN. 1306 COMMENCED MANEUVERING TO CLEAR THE PIER. 1309 UNDERWAY. STEERING VARIOUS COURSES & SPEEDS. 1319 MOORED STARBOARD SIDE TO U.S. DENVER (ARS-23) AT BERTH ALFA 6, U.S. NAVAL STATION

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R D Mason Ltjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Abraki (ATF-96 ZONE DESCRIPTION +10W DATE FRIDAY (Day) 15 (Date) MAY (Month), 19 64

AT/PASSAGE FROM Pearl Harbor TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	3	10	Sct	2991	78	71	3	7000	Cu			
02	040	4	10	Sct	2990	77	72	3	2000	Cu			
03	040	4	10	Sct	2991	78	72	2	2000	Cu			
04	040	4	10	Sct	2991	79	75	2	2000	Cu			
05	040	4	10	Sct	2992	80	74	2	2000	Cu			
06	040	4	10	Sct	2993	81	73	2	2000	Cu			
07	040	4	10	Sct	2994	81	73	2	2000	Cu			
08	040	4	10	Sct	2993	81	72	2	2000	Cu			
09	040	4	10	Sct	2994	82	71	2	2000	Cu			
10	040	4	10	Sct	2993	83	70	2	2000	Cu			
11	040	4	10	Sct	2992	84	71	2	2000	Cu			
12	040	4	10	Sct	2991	85	71	2	2000	Cu			
13	040	4	10	Sct	2991	86	72	2	2000	Cu			
14	040	4	10	Sct	2992	84	72	2	2000	Cu			
15	040	4	10	Sct	2993	88	73	2	2000	Cu			
16	040	4	10	Sct	2994	84	73	2	2000	Cu			
17	040	4	10	Sct	2993	82	74	2	2000	Cu			
18	040	4	10	Sct	2991	81	73	2	2000	Cu			
19	040	4	10	Sct	2991	80	72	2	2000	Cu			
20	040	4	10	Sct	2994	81	71	2	2000	Cu			
21	040	4	10	Sct	2993	80	71	2	2000	Cu			
22	040	4	10	Sct	2992	79	71	2	2000	Cu			
23	040	4	10	Sct	2991	79	71	2	2000	Cu			
24	040	4	10	Sct	2992	79	71	2	2000	Cu			

POSITION	ZONE	TIME
0800 L 21 15N		BY 3
λ 157 49.5W		BY 3
1200 L 21 00.5N		BY 3
λ 157 04W		BY 3
2000 L IN PORT		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM 1800 (ZT) 15 May (Date)

TO 0800 (ZT) 16 May (Date)

SET 275

DRIFT .3KTS

POSITION BETWEEN FIXES

MID. L 21 00N

MID. λ 157 30W

MILES STEAMED 0000-2400: 80

FUEL CONSUMED 0000-2400: 763

REMARKS

08-04

APPROVED:

U. S. N. COMMANDING

EXAMINED:

U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) THURSDAY (Day) 14 (Date) MAY (Month) 1964

12-16 (cont'd) PEARL HARBOR HAWAII, CONTINUEING EXERCISE Z-43-S. 1352 SECURED FROM GENERAL QUARTERS AND EXERCISE Z-43-S. 1414 COMMENCED MANEUVERING TO CLEAR SIDE OF DELIVER. 1415 UNDERWAY, CAPTAIN ~~AND~~ HAS TO CONN, OR NAVIGATOR ON THE BRIDGE. MANEUVERING ON VARIOUS COURSES AND SPEEDS WHILE CHANGING BERTHS. 1426 MOORED PORT SIDE TO BERTH ALFA TWO(A-2) U.S. NAVAL STATION, PEARL HARBOR HAWAII, WITH STD. MOORING LINES DOUBLED. 1429 SECURED THE SPECIAL SEA AND ANCHOR DETAIL.

R S Nason, Stgy, USNR

16-20 MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE (modified)

R S Nason, Stgy, USNR

20-24 MOORED AS BEFORE.

R S Nason, Stgy, USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Nason, Stgy U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O—403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10-W DATE FRIDAY (Day) 15 (Date) MAY (Month), 1964

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	3	10	Sct	2991	78	72	3	2000	Cu			
02	040	4	10	Sct	2990	78	72	3	2000	Cu			
03	040	4	10	Sct	2991	79	73	2	2000	Cu			
04	040	4	10	Sct	2991	80	73	2	2000	Cu			
05	040	4	10	Sct	2992	80	73	2	2000	Cu			
06	040	4	10	Sct	2993	81	73	2	2000	Cu			
07	040	4	10	Sct	2994	81	73	2	2000	Cu			
08	040	4	10	Sct	2995	81	73	2	2000	Cu			
09	040	4	10	Sct	2994	82	74	2	2000	Cu			
10	040	4	10	Sct	2993	83	74	2	2000	Cu			
11	040	4	10	Sct	2991	84	75	2	2000	Cu			
12	040	4	10	Sct	2991	85	75	2	2000	Cu			
13	040	4	10	Sct	2992	86	75	2	2000	Cu			
14	040	4	10	Sct	2993	83	73	2	2000	Cu			
15	040	4	10	Sct	2994	86	76	2	2000	Cu			
16	040	4	10	Sct	2995	85	76	2	2000	Cu			
17	040	4	10	Sct	2996	84	75	2	2000	Cu			
18	040	4	10	Sct	2995	83	75	2	2000	Cu			
19	040	4	10	Sct	2994	82	74	2	2000	Cu			
20	040	4	10	Sct	2994	81	74	2	2000	Cu			
21	040	4	10	Sct	2993	80	73	2	2000	Cu			
22	040	4	10	Sct	2992	81	73	2	2000	Cu			
23	040	4	10	Sct	2992	80	72	2	2000	Cu			
24	040	4	10	Sct	2992	79	72	2	2000	Cu			

POSITION	ZONE	TIME
0800 L 21°45N	BY	3
λ 157 49.8W	BY	3
1200 L 21°00.5N	BY	3
λ 157°04W	BY	3
2000 L IN PORT	BY	
λ	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM 1800 (ZT) 15 May (Date)

TO 0800 (ZT) 16 May (Date)

SET 275

DRIFT ~3 KTS

POSITION BETWEEN FIXES

MID. L 21°00N

MID. λ 157°30W

MILES STEAMED 0000-2400: 80

FUEL CONSUMED 0000-2400: 763

REMARKS

00-04 MOORED PORT SIDE TO BERTH ALFA TWO (A-2) US NAVAL STATION, PEARL HARBOR, HAWAII, WITH STANDARD MOORING LINES DOUBLED, RECEIVING POTABLE WATER AND TELEPHONE SERVICE FROM THE PIER. MATERIAL CONDITION YOKE (modified) SET. SHIPS PRESET INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, DISTRICT AND SMALL CRAFT. S.O.P.A. IS CINCPACFLT.

D R Rasen, Stjg, USNR

04-08 MOORED AS BEFORE. 0601 MADE DAILY INSPECTION OF MAGAZINES, CONDITIONS: NORMAL. MADE WEEKLY TEST OF MAGAZINE SPRINKLER SYSTEM. TEST SATISFACTORY. 0625 MUSTERED THE CREW AT QUARTERS. ABSENTEES: None. 0630 COMMENCED PREPERATIONS FOR GETTING UNDERWAY. 0640 SETTHE SPECIAL SEA AND ANCHOR DETAIL - DRAFT: FWD. 14'-3" AFT. 15'-9". 0700 UNDERWAY - CAPTAIN AND NAVIGATOR ARE

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: D R Rasen, Stjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki CATF-96 Friday (Day) 15 (Date) May (Month) 19 64

04-08 (CONT) ON The bridge, OOD has the conn. Underway in accordance with ~~COMFLT~~ COMSERVPAC Group Sail ORD 202321Z of April, 1964 steering various courses at various speeed to head fair out the channel. 0711 C/C TO 12.3 KTS. 0712 Passed buoy 7 abeam to stbd distance 100 yds. C/C TO 060°. Base course 053°. 0717 passed buoy 1 abeam to stbd distance 75 yards. 0719 Secured tb Special Sea and anchor detail. 0721 C/C TO 145°. 0723 C/C 135° 0725 C/C 125. 0735 C/C 105. 0743 C/C 110, C/S to 12 KTS. 0746 C/S 11.8 KTS C/C 111°. 0749 C/S to 11.3 KTS. C/C TO 112°, 0752 C/C 115. 0755 C/S TO 12. KTS 0756 C/C 117°

J.A. Hollis, CWO2-USN

08-12 Underway as before. 0800 C/S to 12.8 KTS. 0812 COMMENCED MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS TO keep STATION ON The guide, USS GRASP. Grasp ~~OCT~~ OTC

J.A. Hollis, CWO2, USN

12-16 Underway as before. 1306 Released by OTC to proceed independently to Kahului, Maui, Hawaii. C/S TO 9.5 KTS 1307 C/S TO 6.7 KTS. 1310 C/C 128. 1313 C/S to 11.3 KTS. 1346 C/C TO 132, 1359 C/C TO 135° 1422 C/C to 160°

H.E. Hanton
LTJG USN

12-16 (CONT) Underway as before. 1426 SET the anchor detail. 1431 Commenced maneuvering on various courses at various speeds to approach anchorage. 1443 Anchored one mile off the coast of Kahena Maui with 20 fathoms of chain to the port anchor, Sandy, coral bottom on the following bearings Radio Mast 346° Stack 023.5° Light 029.5°. 1452 Captain has the conn. Underway to anchor approx 1.5 miles off coast of Kahena. 1455 commenced maneuvering on various courses at various speeds to anchor. 1500 anchored approx 1.5 miles off coast of Kahena with 45 fathoms of chain to the port anchor, sandy coral bottom on the following bearings: Radio Mast 351.2°, Stack 022, Light 034. 1510 Secured the anchor detail

C.P. McKenzie, Ens, USNR

12-16 (CONT) Anchored as before.

J.A. Hollis, CWO2-USN

16-20 Anchored as before. 1800 Set material condition Yoke (modified).

J.A. Hollis, CWO2-USN

20-24 Anchored as before

J.A. Hollis, CWO2, USN

APPROVED: C.C. Reed Lt. U.S.N. COMMANDING

EXAMINED: D.N. Rosen, Ltjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U.S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10W DATE Saturday (Day) 16 (Date) May (Month), 1964

AT/~~PASSAGE~~ FROM Lahaina, Maui, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	2	10	SCT	2992	77	72	3	2000	CU			
02	040	2	10	SCT	2991	78	71	3	2000	CU			
03	040	2	10	SCT	2992	77	73	3	2000	CU			
04	040	2	10	SCT	2993	79	73	3	2000	CU			
05	040	2	10	SCT	2994	80	73	3	2000	CU			
06	040	2	10	SCT	2995	81	73	3	2000	CU			
07	040	2	10	SCT	2994	81	75	3	2000	CU			
08	040	2	10	SCT	2994	82	74	3	2000	CU			
09	040	2	10	SCT	2994	83	74	2	2000	CU			
10	040	2	10	SCT	2994	84	74	2	2000	CU			
11	040	2	10	SCT	2995	85	74	2	2000	CU			
12	040	2	10	SCT	2994	86	74	2	2000	CU			
13	040	2	10	SCT	2993	87	75	2	2000	CU			
14	040	2	10	SCT	2992	88	74	2	2000	CU			
15	040	2	10	SCT	2992	88	74	2	2000	CU			
16	040	2	10	SCT	2992	86	75	2	2000	CU			
17	040	2	10	SCT	2992	84	75	2	2000	CU			
18	040	2	10	SCT	2992	82	75	2	2000	CU			
19	040	2	10	SCT	2993	81	74	2	2000	CU			
20	040	2	10	SCT	2993	80	74	2	2000	CU			
21	040	2	10	SCT	2993	79	74	2	2000	CU			
22	040	2	10	SCT	2992	78	75	2	2000	CU			
23	040	2	10	SCT	2992	77	75	2	2000	CU			
24	040	2	10	SCT	2991	76	75	4	2000	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

0

FUEL CONSUMED 0000-2400

749

REMARKS

00-04 Anchored off Lahaina, Maui, Hawaii with 45 fathoms of chain to the port anchor on the following bearings Lahaina Light 042°, stack 030 1/4, Radio mast 328° in 10 fathoms of water, sandy coral bottom. Material condition Yoke modified is set. Ships present include USS Cowcal (ASR-8) SOPA is C.O USS Cowcal (ARS-8)

J.C. Wallis. CWO4, USN

04-08 Anchored as before. 0530 USS Cowcal (ARS-8) underway to depart area. SOPA is C.O. Abnaki (ATF-96) 0730 Mustered the crew on stations: absentees: none.

J.C. Wallis. CWO4, USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R D Mason, Stfg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF 96 SATURDAY (Day) 16 (Date) MAY (Month), 1964

Ø8-12 ~~MOORED~~ Anchored AS BEFORE. Ø845 MADE DAILY INSPECTION OF MAGAZINES ~~AND SM~~ CONDITIONS: NORMAL.

C.P. McKenzie, Ens, USNR

12-16 ~~MOORED~~ Anchored AS BEFORE.

C.P. McKenzie, Ens, USNR

16-2Ø ~~MOORED~~ Anchored AS BEFORE. 1800 SET CONDITION YORE (MODIFIED)

C.P. McKenzie, Ens, USNR

2Ø-24 ~~MOORED~~ Anchored AS BEFORE.

C.P. McKenzie, Ens, USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Mason, Ltjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 W DATE SUNDAY (Day) 17 (Date) MAY (Month), 1964

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	4	10	2990	SCT	78	70	5	2000	Cu			
02	040	5	10	BKN	2990	78	70	6	2000	Cu			
03	040	4	10	BKN	2990	78	70	6	2000	Cu			
04	040	4	10	BKN	2990	78	70	6	2000	Cu			
05	040	5	10	BKN	2990	78	70	6	2000	Cu			
06	040	5	10	BKN	2990	80	73	6	2000	Cu			
07	040	5	10	BKN	2990	83	75	6	2000	Cu			
08	040	5	10	BKN	2989	76	70	6	2000	Cu			
09	040	4	10	BKN	2989	79	72	6	2000	Cu			
10	040	4	10	BKN	2988	82	73	6	2000	Cu			
11	040	4	10	BKN	2989	84	73	7	2000	Cu			
12	040	4	10	BKN	2989	83	73	7	2000	Cu			
13	040	5	10	BKN	2990	79	71	7	2000	Cu			
14	040	5	10	BKN	2990	82	72	8	2000	St			
15	040	4	10	BKN	2990	86	74	9	2000	St			
16	040	4	10	BKN	2990	82	74	9	2000	St			
17	040	4	10	BKN	2989	82	74	9	2000	St			
18	040	4	10	BKN	2989	82	74	9	2000	St			
19	040	4	10	BKN	2987	82	74	9	2000	St			
20	040	4	10	BKN	2988	79	75	8	2000	St			
21	040	4	10	BKN	2989	78	75	7	2000	St			
22	040	4	10	BKN	2990	77	75	7	2000	St			
23	040	4	10	BKN	2990	77	75	7	2000	St			
24	040	4	10	BKN	2990	77	75	7	2000	St			

POSITION	ZONE	TIME
0800 L in port	BY	
λ	BY	
1200 L	BY	
λ	BY	
2000 L	BY	
λ	BY	

LEGEND: 1—CELESTIAL 2—ELECTRONIC 3—VISUAL 4—D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 150

REMARKS

ØØ-Ø4 ANCHORED OFF LAHAINA MAUI IN FIFTEEN FATHOMS OF WATER, SANDY CORAL BOTTOM WITH FORTY-FIVE FATHOMS OF CHAIN TO THE PORT ANCHOR ON THE FOLLOWING ANCHORAG BEARINGS: RADIO ANTENNA 351.2°, PROMINENT STACK Ø22°, LIGHT Ø34°. MATERIAL CONDITION YOKE MODIFIED IS SET. SOPA IS COMMANDING OFFICER USS ABNAKI.

C. P. McKenzie, Ens, USMR

Ø4-Ø8 ~~MOORED~~ Anchored AS BEFORE. Ø73Ø MUSTERED THE CREW ON STATIONS. ABSENTEES: NONE.

C. P. McKenzie, Ens, USMR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Mason, Stjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 SUNDAY (Day) 17 (Date) MAY (Month) 1964

0800-1200 ~~Hor~~ ANCHORED AS BEFORE. 1020 MADE DAILY INSPECTION OF MAGAZINES: CONDITIONS NORMAL. 1100 COMMENCED OPEN HOUSE VISITING. JEH

J E Horton
LTJG USN

1200-1600 ~~Hor~~ ANCHORED AS BEFORE. 1600 SECURED OPEN HOUSE VISITING. JEH

J E Horton
LTJG USN

1600-2000 ANCHORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE MODIFIED.

J E Horton
LTJG.

2000-2400 ANCHORED AS BEFORE.

J E Horton
LTJG USN.

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Nasen, Ltjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE MONDAY (Day) 18 (Date) MAY (Month), 19 64

AT/PASSAGE FROM LIHINA, MAUIA, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	3	10	BKN	2990	75	68	6	2000	St			
02	040	3	10	Sct	2989	77	69	5	2000	Cu			
03	040	3	10	Sct	2987	74	69	5	2000	Cu			
04	040	3	10	Sct	2987	75	69	5	2000	Cu			
05	040	3	10	Sct	2988	75	69	5	2000	Cu			
06	040	3	10	Sct	2989	74	65	4	2000	Cu			
07	040	3	10	Sct	2990	76	66	4	2000	Cu			
08	040	3	10	Sct	2992	77	67	4	2000	Cu			
09	040	3	10	Sct	2994	77	68	4	2000	Cu			
10	040	3	10	Sct	2993	78	68	4	2000	Cu			
11	040	3	10	Sct	2994	80	69	4	2000	Cu			
12	040	3	10	Sct	2994	81	70	4	2000	Cu			
13	040	3	10	Sct	2995	83	70	4	2000	Cu			
14	040	3	10	Sct	2995	84	70	4	2000	Cu			
15	040	3	10	Sct	2996	83	70	4	2000	Cu			
16	040	3	10	Sct	2996	82	70	4	2000	Cu			
17	040	3	10	Sct	2996	81	70	4	2000	Cu			
18	040	3	10	Sct	2997	80	71	4	2000	Cu			
19	040	3	10	Sct	2997	80	72	4	2000	Cu			
20	040	3	10	Sct	2997	78	70	4	2000	Cu			
21	040	3	10	Sct	2996	78	70	4	2000	Cu			
22	040	3	10	Sct	2995	77	70	5	2000	Cu			
23	040	3	10	Sct	2996	77	70	5	2000	Cu			
24	040	3	10	Sct	2995	77	70	5	2000	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L 21 01.5		BY 3
λ 157 18.6W		BY 3
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM 2200 (ZT) 18 MAY (Date)
TO 0000 (ZT) 19 MAY (Date)
SET 162
DRIFT 2KTS

POSITION BETWEEN FIXES

MID. L 21 00 N
MID. λ 157 30 W

MILES STEAMED 0000-2400: 82.0

FUEL CONSUMED 0000-2400: 1346

REMARKS

0000-0400 ANCHORED, LIHINA, MAUI, HAWAII, IN FIFTEEN FATHOM OF WATER, SANDY CORAL BOTTOM, WITH FORTY FIVE FATHOM OF ANCHOR CHAIN TO THE PORT ANCHOR. ANCHORED ON THE FOLLOWING BEARINGS. RADIO ANTENNA 351.2°, SUGAR MILL STACK 022° LAHINA HARBOR LIGHT 340° MODIFIED MATERIAL CONDITION YOKE SET. SOPA IS COMMANDING OFFICER, USS ABNAKI (ATF-96)

J E Horton
LTJG USN

0400-0800 ANCHORED AS BEFORE 0745 MUSTERED CREW AT QUARTERS; ABSENTEES NONE

J E Horton
LTJG, USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: D D Mason, Ltjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) MONDAY (Day) 18 (Date) MAY (Month) 1964

08-12 ANCHORED AS BEFORE. 0830 COMMENCED MAKING PREPERATIONS TO GET UNDERWAY. 0845 SETTHE ANCHOR DETAIL. CAPTAIN AND NAVIGATOR ARE ON THE BRIDGE

J.D. Hollis, CWO2-USN

08-12 (Cont.) 0845 OOD has the Conn. 0855 Underway for US Naval Station, Pearl Harbor, Hawaii in Compliance with COMSERVPAC Message 202317. Maneuvering to clear the anchorage. 0857 Steering various Courses at various speeds. Standing out of Lahaina, Maui. 0902 C/C 356°. 0904 C/S 11.3 Kts. 0927 C/C 300°. 0932 C/C 280° 0935 made daily inspection of magazines. Conditions: Normal. 0958 C/S 13.3 Kts. 1007 C/C 275° 1027 C/C 274° 1101 C/C 290° 1116 C/C 292°

J.A. Hall
Lt jg USNR

12-16 UNDERWAY AS BEFORE. 1215 C/C 279°, 1216 C/C 300°, 1226 C/C 301°, 1236 C/C 300°, 1248 C/C 298°, 1250 C/C 295°, COMMENCED STEERING RAGE Course 295°, TO Maintain Station on USS GRASP (ARS-24) 1411 C/S 12.3 Kts. 1418 C/C 9.5 Kts. 1437 C/C 115°, ~~1450~~ C/C 280°, 1512 C/C 338°, 1517 C/C 335°, 1522 ENTERED INLAND WATERS. 1523 SET THE SPECIAL SEA AND ANCHOR DETAIL. Captain & Navigator are on the Bridge. 1537 C/C 337°. 1538 passed Buoy # 1 ABEAM TO PORT Approximately 100 yds. Commenced steering various courses & Speeds while entering Pearl Harbor Channel & outer Harbor. 1549 Commenced approach to ALFA PIERS. 1552 CAPTAIN has the comm. 1554 MOORED PORTside to ALFA TWO (A-2) Berth, US Naval Station Pearl Harbor, Hawaii.

J.D. Hollis. CWO2 USN

16-20 Moored as before. 1609 ~~All lines doubled~~ Secured the Special sea and anchor detail. 1800 Set material condition Yoke (modified).

J.D. Hollis. CWO2, USN

20-24 Moored as before.

J.D. Hollis CWO2, USN

APPROVED: C C Reed Lt U. S. N. COMMANDING

EXAMINED: R S Mason, Ltjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 W DATE TUESDAY (Day) 19 (Date) MAY (Month), 1964

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	045	2	10	OVC	2997	74	69	10	2000	Cu			
02	045	2	10	OVC	2997	74	68	10	2000	Cu			
03	045	2	10	OVC	2999	75	70	10	2000	Cu			
04	040	2	10	OVC	2999	75	70	10	2000	Cu			
05	040	2	10	OVC	2999	75	70	10	2000	Cu			
06	040	2	10	BKN	2999	76	70	8	2000	Cu			
07	070	3	10	BKN	2999	77	70	6	2000	Cu			
08	070	3	10	BKN	3000	78	70	7	2000	Cu			
09	055	4	10	BKN	3001	79	72	7	2000	Cu			
10	050	6	10	BKN	3003	81	74	7	2000	Cu			
11	055	8	10	Sct	3003	82	75	5	2000	Cu			
12	045	7	10	Sct	3002	83	75	5	2000	Cu			
13	070	12	10	Sct	3001	82	72	4	2000	Cu	80	080	3
14	080	5	10	Sct	3001	79	67	4	2000	Cu	80	080	3
15	080	5	10	Sct	3002	79	67	4	2000	Cu	80	080	3
16	040	5	10	Sct	3002	78	67	3	2000	Cu			
17	040	3	10	Sct	3000	78	70	3	2000	Cu			
18	040	3	10	Sct	2999	80	70	1	2000	Cu			
19	055	2	10	Sct	2999	80	70	1	2000	Cu			
20	050	2	10	CLR	3001	80	70						
21	045	2	10	CLR	3001	78	68						
22	040	2	10	CLR	3000	77	68						
23	040	2	10	CLR	2998	77	68						
24	040	2	10	Sct	2998	78	68	1	2000	Cu			

POSITION	ZONE	TIME
0800 L	IN PORT	BY
λ		BY
1200 L		BY
λ		BY
2000 L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 42.0

FUEL CONSUMED 0000-2400: 525

REMARKS

0000-04 MOORED PORT SIDE TO ALFA TWO (A-2) BERTH, U.S. NAVAL STATION, PEARL HARBOR, HAWAII, WITH STD. MOORING LINES DOUBLED. RECEIVING POTABLE WATER AND TELEPHONE SERVICES FROM THE PIER. MATERIAL CONDITION YOKE (Modified) SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, DISTRICT AND SMALL CRAFT. S.O.P.A. IS CINCPACFLT.

J. L. Hollis, CWO2, USN

0404-0808 MOORED AS BEFORE 0700 COMMENCED PREPERATIONS FOR GETTING UNDERWAY. 0710 SET THE SPECIAL SEA AND ANCHOR DETAIL, MUSTERED THE CREW ON STATIONS. ABSENTEES; NONE. 0725 CAPTAIN AND NAVIGATOR ON THE BRIDGE. 0729 COMMENCED MANEUVERING TO CLEAR BERTH. 0734 UNDERWAY IN ACCORDANCE WITH COMFLT TRAGPAC OP-ORDER 21-64 - DRAFT-13'-3" FWD, 16'-3" AFT.

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R D Mason, Lt(jg) U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF 96 TUESDAY (Day) 19 (Date) MAY (Month), 1964

04-08 (con't) MANEUVERING TO STAND CLEAR BERTH AND HEAD FAIR IN THE CHANNEL, USING VARIOUS SPEEDS & COURSES. 0744 c/c 333°, c/c 6.7 KTS. 0747 c/c 000°; 0750 PASSED BUOY (11) ABEAM TO PORT 100 YDS. 0752 c/c 3.3 Kts. 0759 PASSED BUOY (15) ABEAM TO PORT 100 YDS. STEERING 006°,

J.C. Hollis CWO2, USN

08-12 UNDERWAY AS BEFORE. 0800 c/c 355°, c/s 9.5KTS. 0802 c/c 000°, 0804 c/c 350°; 0806 PASSED BUOY (40) ABEAM TO PORT 100 YDS. c/s 6.7 Kts. c/c 025°, COMMENCED APPROACH TO BUOY X-12-S USING VARIOUS SPEEDS & COURSES. COMMENCED EXERCISE Z-41-S 0838 ANCHORED TO PORT ANCHOR IN FIVE (5) FATHOMS OF WATER, FIFTEEN (5) FATHOMS OF CHAIN ON DECK, MUD BOTTOM. ANCHOR BEARINGS. LEFT TANGENT FORD ISLAND 143½°, SIGNAL TOWER 175°, CONTROL TOWER 194°, 0911 CAPTAIN HAS THE CONN. TOW WIRE MADE FAST TO BUOY X-12-S - COMMENCED MANEUVERING TO POSITION BEACH GEAR. 1053 TOWWIRE CAST OFF FROM BUOY X-12-S. 1105 UNDERWAY RECOVERING BEACH GEAR. NAVIGATOR ON THE BRIDGE. ~~1009~~ 1109 ANCHORED. FIVE (5) FATHOMS OF WATER, MUD BOTTOM. ANCHOR AT SHORT STAY. BEARINGS, LEFT TANGENT FORD ISLAND, 155°, SIGNAL TOWER 182°, CONTROL TOWER 203°, 1114 SECURED THE SEA and ANCHOR DETAIL.

J.C. Hollis. CWO2. USN

12-16 ~~16-20~~ Anchored as before. Set sea and anchor detail. 1714 Completed preparations for getting underway. 1717 Maneuvering at various courses and various speeds to clear anchorage. Captain at the conn, Navigator is on the bridge. 1300 underway from buoy X-12-S, East Lock. Steering various courses at various speeds while standing out of Pearl Harbor. 1325 000 has the conn. 1335 Made daily inspection of magazines. Conditions: Normal. 1343 Entered International Waters. Base course 168°, base speed 12.3 kt. 1354 Steering various courses at various speeds while exercising crew at percision anchorage drill. 1648 secured from drill J.A. Hollis USN

16-20 (CONTINUED) UNDERWAY AS BEFORE. 1719 c/c TO 333° 1721 c/c TO 336°. 1722 SET THE SPECIAL SEA AND ANCHOR DETAIL. CAPTAIN AND NAVIGATOR ARE ON THE BRIDGE, OOD has the conn STEERING VARIOUS COURSES AT VARIOUS SPEEDS WHILE STANDING INTO PEARL HARBOR AND MOORING ALFA DOCKS. 1731 BOUY #1 ABEAM TO PORT. 1734 BOUY #3 ABEAM TO PORT. 1739 BOUY #5 ABEAM TO PORT. 1740 BOUY #7 ABEAM TO PORT. 1742 BOUY #9 ABEAM TO PORT. 1750 MOORED PORT SIDE TO IN BERTH ALFA-TWO (A-2) WITH STANDARD MOORING LINES ~~#~~ DOUBLED, US NAVAL BASE PEARL HARBOR, HAWAII. MATERIAL CONDITION YOKE MODIFIED IS SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US PACIFIC FLEET, DISTRICT AND YARD CRAFT. SOPA IS CINCPACFLT. 1753 SECURED THE SPECIAL SEA AND ANCHOR DETAIL.

C. P. McKenzie, Ens, U & MR

20-24 Moored as before.

RS Nasen, Stjg

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: RS Nasen, Stjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U.S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Abnaki CAiF-96 ZONE DESCRIPTION +10 W DATE WEDNESDAY (Day) 20 (Date) MAY (Month), 19

AT/PASSAGE FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	055	3	10	Sct	2993	79	72	5	2000	St			
02	055	3	10	Sct	2990	77	71	5	2000	St			
03	055	3	10	Sct	2990	77	71	5	2000	St			
04	065	3	10	Sct	2992	77	70	5	2000	St			
05	055	4	10	Sct	2993	77	70	5	2000	St			
06	060	4	10	Sct	2993	76	70	5	2000	St			
07	060	4	10	BKN	2993	76	70	4	2000	St			
08	040	4	10	BKN	2993	75	70	4	2000	Cu			
09	040	3	10	Sct	2994	78	72	4	2000	Cu	80	070	2
10	070	3	10	Sct	2995	81	73	4	2000	Cu	80	075	2
11	068	3	10	Sct	2995	82	74	4	2000	Cu	80	075	2
12	045	3	10	Sct	2996	83	74	4	2000	Cu			
13	045	3	10	Sct	2997	84	74	3	2000	Cu			
14	040	3	10	Sct	2997	84	74	3	2000	Cu			
15	040	2	10	Sct	2998	84	73	4	2000	Cu			
16	040	2	10	Sct	2997	83	73	4	2000	Cu			
17	040	2	10	Sct	2996	83	73	4	2000	Cu			
18	040	2	10	Sct	2997	82	73	4	2000	Cu			
19	040	2	10	Sct	2997	79	72	4	2000	Cu			
20	040	2	10	Sct	2998	79	72	4	2000	Cu			
21	040	2	10	Sct	2998	79	72	4	2000	Cu			
22	040	2	10	Sct	2999	79	71	4	2000	Cu			
23	040	2	10	Sct	3000	78	71	4	2000	Cu			
24	040	2	10	Sct	3000	77	70	4	2000	Cu			

POSITION	ZONE	TIME
0800 L in port	BY	
λ	BY	
1200 L	BY	
λ	BY	
2000 L	BY	
λ	BY	

LEGEND: 1—CELESTIAL 2—ELECTRONIC 3—VISUAL 4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 23.5

FUEL CONSUMED 0000-2400: 334

REMARKS

00-04. Moored portside to in berth ALFA TWO, U.S. NAVAL STATION, Pearl Harbor, Hawaii with Starboard mooring lines doubled. Receiving fresh water and Telephone services from the pier. Material condition YOKE (Modified) is SET. Ships present include various units of the U.S. Pacific fleet. SOPA is CINCPACFLT.

RS Nason, Ltjg, USNR

04-08 Moored as before. 0715 Mustered the crew at quarters. absentees none. 0720 commenced making preparations for getting underway. 0725 SET the special SEA and anchor detail. 0740 completed preparations for getting underway draft fwd 13' aft 15'11". Captain and Navigator on the bridge. OOD has the conn. 0746 Underway for local op area SH and BP to conduct engineering exercises in accordance with COMFLTRAGRU OP ORDER 21-19 64 RS 0748 commenced manuevering on various courses at various

APPROVED: CC Reed Lt. U.S.N. COMMANDING

EXAMINED: RS Nason, Ltjg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF 96 WEDNESDAY (Day) 20 (Date) MAY (Month), 19 64

04-08 (CONT) TO clear berth AND head fair in the CHANNEL. 0752 ~~0732~~ C/C 173°T. 0753 Passed buoy #9 abeam TO STBD. distance 75 yards. 0754 C/C TO 156°. 0755 Passed buoy #7 abeam TO STBD distance about 75 yards. 0757 C/C TO 157°. 0759 Passed buoy # 3 abeam TO stbd destance 100 yards.

R R Mason, Sltg, USNR

08-12 - Underway as before. 0801 Passed buoy #1 abeam to stbd distance about 100 yds. 0804 Secured the special sea and anchor detail. 0805 Made daily inspection of Magazines. conditions normal. 0808 C/C to 160°. 0812 C/C TO 150° 0815 Entered inland waters. 0830 COMMENCED selected Engineering exercises. 0930 C/C TO 330°. 0939 EXERCISED the crew at GENERAL QUARTERS. 0943 SET CONDITION Zebra. 1032 C/S TO 3.3 KTS. 1111 C/C TO 090. 1122 CAPTAIN HAS THE CONN. 1129 SET CONDITION YOKE. 1130 SECURED FROM GENERAL QUARTERS. AND all drills. ~~R R Mason, Sltg~~. 1139 C/C TO 355°. 1143 SET the special Sea AND anchor detail. C/C TO 333°. Commenced maneuvering on various courses at various speeds TO conform with CHANNEL 1151 Passed buoy 1 abeam to Port. 1154 Passed buoy 3 abeam to Port. 1157 Passed buoy 5 abeam to port. 1158 Passed buoy 7 abeam TO Port.

R R Mason, Sltg, USNR

12-16. Underway as before. 1206 Captain has the conn. 1207 Commenced maneuvering to berth at berth ALFA TWO. 1210 Moored berth after two US Naval Station, Pearl Harbor Hawaii. ~~1310~~ 1331 Exercised the crew at general quarters. 1338 Underway for USS to go alongside USS Grapple (ARS-7) to conduct Z-43-S. 1339 Maneuvering to clear berth and moor alongside USS Grapple. 1347 Moored starboard side TO USS Grapple (ARS-7) berth A-5, U.S. NAVAL Station, Pearl Harbor Hawaii. 1357 P.C Teamaboard Grapple. 1414 Secured from Z-43-S. 1417 Underway for berth A-2. CAPTAIN has THE CONN. 1418 Commenced maneuvering to clear berth and moor berth A-2. 1423 Moored berth A-2, U.S. NAVAL STATION, Pearl Harbor Hawaii 1428 Secured the Special Sea + Anchor Detail

R R Mason, Sltg, USNR

12-16 (CONTINUED) MOORED AS BEFORE

C.P McKenzie, Ens, USNR

16-20 MOORED AS BEFORE. 1747 MUSTERED THE INPORT DUTY FIRE PARTY ABSENTEES: NONE. 1800 SET CONDITION YOKE MODIFIED.

C.P McKenzie, Ens, USNR

20-24 MOORED AS BEFORE.

C.P McKenzie, Ens, USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R R Mason, Sltg U. S. N. NAVIGATOR

U.S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF 96) ZONE DESCRIPTION +10W DATE ~~WEDNESDAY~~ THURSDAY (Day) / ~~20~~ 21 (Date) MAY (Month), 19 64 LEM

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	4	10	Sct	2991	76	70	4	2000	Cu			
02	040	4	10	Sct	2991	76	70	4	2000	Cu			
03	040	4	10	Sct	2992	75	70	4	2000	Cu			
04	040	4	10	Sct	2992	75	70	4	2000	Cu			
05	040	7	10	Sct	2991	75	70	4	2000	Cu			
06	040	7	10	Sct	2992	76	71	4	2000	Cu			
07	040	7	10	BKN	2994	77	73	6	2000	Cu			
08	040	7	10	BKN	2996	78	75	6	2000	Cu			
09	040	8	10	BKN	2997	80	76	7	2000	St			
10	050	10	10	BKN	2998	82	77	7	2000	St			
11	050	10	10	BKN	2998	86	77	7	2000	St			
12	050	9	10	BKN	2998	89	77	7	2000	St			
13	045	8	10	BKN	2998	90	78	7	2000	St			
14	040	8	10	BKN	2998	91	77	7	2000	St			
15	040	4	10	BKN	2996	89	77	7	2000	St			
16	040	4	10	BKN	2996	87	75	7	2000	St			
17	040	4	10	BKN	2994	85	75	7	2000	St			
18	040	7	10	BKN	2993	82	74	7	2000	St			
19	040	7	10	BKN	2992	82	74	7	2000	St			
20	040	7	10	Sct	2994	81	74	5	2000	St			
21	040	7	10	Sct	2995	80	73	5	2000	Cu			
22	040	8	10	Sct	2996	80	73	5	2000	Cu			
23	040	8	10	Sct	2996	79	73	4	2000	Cu			
24	040	8	10	Sct	2996	79	72	4	2000	Cu			

POSITION	ZONE	TIME
0800		
L IN PORT		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 7.0

FUEL CONSUMED 0000-2400: 385

REMARKS

ØØ-Ø4 MOORED PORT SIDE TO IN BERTH ALEA TWO (A-2) ~~WITH~~ CP
US NAVAL BASE, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. MATERIAL CONDITION YORE MODIFIED IS SET. RECEIVING POTABLE WATER AND TELEPHONE SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US PACIFIC FLEET DISTRICT AND YARD CRAFT. SOPA IS CINCPACFLT.

C. P. McKenzie, Ens, USNR

Ø4-Ø8 MOORED AS BEFORE. Ø624 MADE DAILY INSPECTION OF MAGAZINES. CONDITIONS: NORMAL Ø63Ø COMMENCED MAKING PREPARATIONS FOR GETTING UNDERWAY. Ø65Ø MUSTERED THE CREW ON STATIONS. Ø655 SET THE SPECIAL SEA AND ANCHOR DETAIL. ~~ØØ~~Ø7Ø5 COMPLETED MAKING PREPARATIONS CP FOR GETTING UNDERWAY. DRAFT: FORWARD , AFT , Ø715 UNDERWAY FOR BOUY X-12-S IN ACCORDANCE WITH COMFTRAGRU OP-ORDER 21-64. MANEUVERING TO CLEAR THE BERTH. OOD HAS THE CONN CAPTAIN AND NAVIGATOR ON THE BRIDGE. Ø719 R MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS WHILE TRANSITING

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: D S Nasen Lt(jg) U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNARI ATF 96 THURSDAY (Day) 21 (Date) MAY (Month), 19 64

~~THE HARBOR~~ 04-08 (CONTINUED) THE HARBOR TO BOUY X-12-S. 0725 BOUY # 13 ABEAM TO PORT 0731 BOUY # 10 ABEAM TO STARBOARD. 0739 MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS WHILE CONDUCTING Z-41-S (BEACHGEAR) AT BOUY X-12-S 0742 BOUY # 35 ABEAM TO STBD 0757 ANCHORED VICINITY BOUY X-12-S ON MUDDY BOTTOM WITH 30 FATHOMS OF CHAIN ON THE FOLLOWING ~~ANCHOR~~ BEARINGS: FORD ISLAND ~~C. P. McKenzie, Ens, USNR~~ CONTROL TOWER 198¼°, ISLAND 147, PIER 221°
~~0812 UNDERWAY AS BEFORE~~

C. P. McKenzie, Ens, USNR

08-12 ~~MOORE~~ ANCHORED AS BEFORE. 0803 VEERED TO 45 FATHOMS 0833 ANCHOR AWEIGH. UNDERWAY WHILE CONDUCTING Z-41-S, CAPTAIN AND NAVIGATOR ON THE BRIDGE. 0843 LET GO THE ELLS ANCHOR. 0937 SECURED FROM Z-41-S, COMMENCED RECOVERING THE ELLS ANCHOR. 0944 ANCHORED IN SIX FATHOMS OF WATER WITH 30 FATHOMS TO THE PORT ANCHOR, ~~ON~~ MUDDY BOTTOM ON THE FOLLOWING ANCHOR BEARINGS: FORD ISLAND CONTROL TOWER 202½, ISLAND 156°, AND PIER 224° 1103 ELLS ANCHOR AND BEACHGEAR WIRE ON DECK. 1107 UNDERWAY FROM VICINITY BOUY X-12-S TO ALFA TWO IN ACCORDANCE WITH VERBAL AUTHORITY FROM PORT CONTROL. CAPTAIN AND NAVIGATOR ARE ON THE BRIDGE. OOD HAS THE CONN. STEERING VARIOUS COURSES AT VARIOUS SPEEDS WHILE TRANSITING THE HARBOR. 1123 BOUY #23 ABEAM TO STBD. 1124 STATION IS ABEAM. 1127 BOUY WL ABEAM TO STBD. 1129 BOUY 13 ABEAM TO STBD. STEERING VARIOUS COURSES AT VARIOUS SPEEDS WHILE MOORING ALFA TWO. 1138 MOORED PORT SIDE TO IN BERTH ALFA TWO ~~WITH STANDARD MOORING LINES~~. OUTBOARD OF USS BOLSTER (ARS 38). 1144 SECURED THE SPECIAL SEA AND ANCHOR DETAIL.

C. P. McKenzie, Ens, USNR

12-16 MOORED AS BEFORE.

J. E. Horton
LTJG USN

16-20 MOORED AS BEFORE. 1800 SET MODIFIED MATERIAL CONDITION YOKE

J. E. Horton
LTJG USN

20-24 MOORED AS BEFORE

J. E. Horton LTJG USN

APPROVED: C. C. Reed Lt. U. S. N. COMMANDING

EXAMINED: R. S. Mason, Lt(jg) U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U.S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE FRIDAY (Day) 22 (Date) MAY (Month), 19 64

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	2	8	BKN	2995	78	71	6	2000	St			
02	045	2	8	BKN	2994	78	70	6	2000	St			
03	045	1	8	BKN	2992	78	70	6	2000	St			
04	045	1	8	BKN	2991	79	68	6	2000	St			
05	045	1	9	BKN	2990	79	67	7	2000	St			
06	045	1	10	BKN	2990	79	67	7	2000	St			
07	045	1	10	BKN	2992	78	68	8	2000	St			
08	070	2	10	OVC	2994	78	68	9	2000	St			
09	065	2	10	BKN	2996	80	72	6	2000	Cu			
10	060	3	10	BKN	2996	84	74	4	2000	Cu			
11	060	4	10	BKN	2997	84	74	4	2000	Cu			
12	060	6	10	BKN	2997	85	74	4	2000	Cu			
13	060	3	10	BKN	2997	84	74	6	2000	Cu			
14	060	3	10	BKN	2996	85	74	6	2000	Cu			
15	060	4	10	BKN	2996	85	73	7	2000	Cu			
16	055	3	10	BKN	2995	83	73	7	2000	Cu			
17	055	3	10	BKN	2995	79	72	7	2000	Cu			
18	055	3	10	BKN	2994	77	72	7	2000	Cu			
19	050	3	10	BKN	2994	76	71	8	2000	Cu			
20	050	3	10	BKN	2993	74	70	8	2000	Cu			
21	050	3	10	OVC	2992	72	70	10	2000	Cu			
22	045	3	10	OVC	2992	72	70	10	2000	Cu			
23	045	3	10	OVC	2993	72	69	10	2000	Cu			
24	045	3	10	OVC	2993	72	69	10	2000	Cu			

POSITION	ZONE	TIME
0800		
L IN PORT		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 3.2

FUEL CONSUMED 0000-2400: 318

REMARKS

00-04 MOORED PORT SIDE TO OUTBOARD OF USS BOLSTER IN BERTH ALPHA TWO. US NAVAL STATION, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES. MODIFIED MATERIAL CONDITION YOKE SET. RECEIVING FRESH WATER AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET YARD AND DISTRICT CRAFT. SOPA IS CINCPACFLT.

H E Horton
LTJG USN

04-08 MOORED AS BEFORE 0745 MUSTERED CREW AT QUARTERS. ABSENTEES NONE.

H E Horton
LTJG USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Mason, Stgj U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (CATF-96) FRIDAY (Day) 22 (Date) MAY (Month) 19 64

08-12 - MOORED AS BEFORE: 0800 MUSTERED THE CREW ON STATIONS. ABSENTEES: NONE. 0920 MADE DAILY INSPECTION OF MAGAZINES. CONDITIONS: NORMAL. MADE WEEKLY TEST OF MAGAZINE SPRINKLER SYSTEM. TEST SATISFACTORY.

J. L. Hollis. CWO2-USN

12-16 MOORED AS BEFORE. 1230 COMMENCED MAKING PREPERATIONS FOR GETTING UNDERWAY. 1240 SET THE SPECIAL SEA & ANCHOR DETAIL. 1245 CAPTAIN AND NAVIGATOR ON THE BRIDGE. 1300 COMMENCED MANEUVERING TO CLEAR SIDE OF USS BOLSTER (ARS-38). 1303 UNDERWAY IN ACCORDANCE WITH VERBAL ORDERS FROM PORT CONTROL, STEERING VARIOUS COURSES & SPEEDS TO CONFORM TO CHARTED CHANNEL & HARBOR. 1306 C/S 6.7 KTS. 1323 C/C 062°, UNDERWAY DRAFT. 13'-9" FWD, 16'-1" AFT. 1331 C/C 120°, CAPTAIN HAS THE CONN, COMMENCED APPROACH TO MIKE TWO (2) BERTH STEERING VARIOUS COURSES & SPEEDS. 1347 MOORED STBD. SIDE TO BERTH MIKE TWO (2) U.S. NAVAL STATION, PEARL HARBOR, HAWAII. 1358 STD. MOORING LINES DOUBLED - SECURED THE SPECIAL SEA AND ANCHOR DETAIL.

J. L. Hollis. CWO-2. USN

16-20 MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE (modified).

J. L. Hollis CWO-2, USN

20-24 MOORED AS BEFORE.

J. L. Hollis, CWO2, USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Mason, Lt(jg) U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS AB MAKI (ATF-96) ZONE DESCRIPTION 410-W DATE SATURDAY (Day) 23 (Date) MAY (Month), 1964

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	045	3	10	OVC	2985	72	69	10	2000	Cu			
02	045	3	10	OVC	2985	73	69	10	2000	Cu			
03	045	3	10	OVC	2986	73	69	10	2000	Cu			
04	045	3	10	OVC	2987	74	70	10	2000	Sc			
05	045	5	10	OVC	2989	74	70	10	2000	Sc			
06	045	5	10	OVC	2990	74	70	10	2000	Sc			
07	050	5	10	OVC	2992	74	70	10	2000	Sc			
08	050	6	10	OVC	2994	75	72	10	2000	Cu			
09	050	6	10	OVC	2994	75	73	10	2000	Cu			
10	050	6	10	OVC	2994	76	74	10	1000	St			
11	050	7	10	OVC	2993	75	73	10	1000	St			
12	050	6	10	OVC	2993	75	73	10	1000	St			
13	050	6	10	OVC	2992	75	72	10	1000	St			
14	050	6	10	OVC	2992	75	72	10	1000	St			
15	050	6	10	OVC	2992	76	71	10	1000	St			
16	050	7	10	OVC	2991	75	70	10	1000	St			
17	050	7	10	OVC	2992	75	70	10	1000	St			
18	050	7	10	OVC	2989	75	70	10	1000	St			
19	060	9	10	OVC	2988	75	70	10	1000	St	80	055	3
20	055	9	10	OVC	2987	75	70	10	1000	St	80	055	3
21	050	11	10	OVC	2988	75	70	10	1000	St	80	055	3
22	050	14	10	OVC	2990	75	70	10	1000	St	80	055	3
23	050	14	10	OVC	2989	75	70	10	1000	St	80	055	3
24	050	18	10	OVC	2990	75	70	10	1000	St	80	055	3

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L 21 16.8N		BY 3
λ 157 58W		BY 3

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM 0600 (ZT) 23 May (Date)
TO 0800 (ZT) 24 May (Date)
SET 270
DRIFT .2KTS

POSITION BETWEEN FIXES

MID. L 21° 30N
MID. λ 60° 00W

MILES STEAMED 0000-2400: 33.5

FUEL CONSUMED 0000-2400: 738

REMARKS

00-04 MOORED STARBOARD SIDE TO BERTH MIKE TWO-(M-2) U.S. NAVAL STATION, PEARL HARBOR, HAWAII, WITH STD. MOORING LINES DOUBLED, MATERIAL CONDITION YOKE (modified) SET. RECEIVING POTABLE WATER AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, DISTRICT AND SMALL CRAFT. S.O.P.A. IS CinC PAC FLT.

J.D. Hollis, CWO-2, USN

04-08 MOORED AS BEFORE. 0745 MUSTERED THE CREW ON STATION. ABSENTEES: NONE.

J.D. Hollis, CWO-2, USN

APPROVED: C.C. Reed Lt. U. S. N. COMMANDING

EXAMINED: D.S. Mason, Stgy U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) ~~23~~ SATURDAY (Day) 23 (Date) may (Month), 1964

08-12. Moored as before. OOS Made daily inspection of Magazines conditions Normal. 1030 commenced making preparations for getting underway. 1045 set the special sea and anchor detail. 1050 completed making preparations for getting underway 1055. Underway for DPD Oahu. in accordance with COMSERVPAC verbal orders. * 1059 commenced maneuvering on various courses at various speeds to clean berth and conform with Pearl Harbor channel. 1059 C/C to 312°, 1105 C/C to 248. 111 C/C 180 1117 C/C to 323 1122 C/C to 286. 1128 C/C to ~~128~~ 290°. 1131 commenced maneuvering on various courses at various speeds to approach and moor berth W-3. 1139 Moored berth W-3, DPD Oahu. 1145 Secured the special sea and anchor detail. * Captain and Navigator on the bridge OOD has the conn.

D D Mason Lt(jg) USNR

12-16. Moored as before. 1228 commenced on-loading explosives ~~(C-3)~~ 5,480 pounds of C-3 1510 Secured from on-loading explosives. 1515 set the special sea and anchor detail. 1520 Captain and Navigator on the bridge. OOD has the conn. 1523 under way for berth M-2 in accordance with COMSERVPAC verbal order. 1525 commenced maneuvering on various courses at various speeds to conform with Pearl Harbor channel. 1526 C/S to 9.5 kts. 1527 C/C to 115°. 1530 C/C to 090. 1534 C/C to 140°. 1539 C/C to 002 1543 C/C to 055. 1551 C/C to 128. 1552 Captain has the conn. 1553 commenced maneuvering on various courses at various speed to approach and moor berth M-2. ~~1602~~

R D Mason Lt(jg) USNR

~~16-20~~ ~~12-16~~ Underway as before 1602 Moored berth M-2. U.S. (NAVAL) STATION, Pearl Harbor Hawaii. 1611 Secured Special Sea and Anchor detail. 1612 commenced ~~preparing~~ Rigging barges YCV-17 and YFNB-6 for tow. 1616 Mustered the crew on stations absentees: NONE. 1716 set the special sea and anchor detail: Captain has the conn, Navigator on the bridge. 1730 Underway for Johnston Island in accordance with the COMSERVPAC SAIL ORD 202357Z of May 1964 with barges YFNB-6 and YCV-17 in tow. 1731 commenced steering various courses at various speeds to conform with Pearl Harbor Channel. ~~C/C To~~ 1742 C/C To 320°. 1755 C/C To 244. 1805 Buoy F-1 abeam To Port. 1811 C/C To 189. 1818 buoy W-1 abeam To STBD. 1825 C/C To 180°. 1840 buoy 7 abeam To STBD. C/C To 155°. 1844 Buoy 5 abeam To STBD. 1853 Buoy 3 abeam To STBD. 1910 Passed buoy 1 abeam To STBD. 1937 Veered Tow wire To 200 feet. 1943 C/C To 158° 1949 Veered To 500 feet. 1955 veered To 700 feet.

R D Mason, Lt(jg)

20-24 underway as before. 2000 entered International waters, 2005 C/C 170°. 2008 secured the special sea and anchor detail. 2009 veered tow To 900 ft. 2010 C/S 8.9 kts. 2014 C/C 212°. 2022 Tow at 1475 ft. 2054 C/S 11.3 kts. 2037 C/S 12.3 kts. 2201 C/C 192°; 2323 lost contact with land by radar and visually - 2346 C/C 248°.

Jal Hollis, CWO2, USN

APPROVED: C C Reed Lt U. S. N. COMMANDING

EXAMINED: R D Mason, Lt(jg) U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U.S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE SUNDAY (Day) 24 (Date) MAY (Month), 19 64

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO JOHNSTON ISLAND

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	055	20	10	OVC	2990	75	70	10	1000	St	80	055	3
02	055	19	10	OVC	2991	75	70	10	1000	St	80	055	3
03	060	18	10	OVC	2991	75	70	10	1000	St	80	055	3
04	070	10	8	OVC	2990	75	70	10	1000	St	80	055	3
05	064	6	8	OVC	2990	78	72	10	1000	St	80	070	3
06	065	8	10	OVC	2990	78	72	10	1000	St	80	070	3
07	070	10	8	OVC	2991	78	72	10	1000	St	80	070	3
08	070	7	8	OVC	2992	78	72	10	1000	St	80	070	3
09	075	7	8	OVC	2993	80	73	10	1000	St	80	070	3
10	075	11	8	OVC	2994	80	74	10	1000	St	80	070	3
11	140	11	8	OVC	2993	79	74	10	1000	St	80	070	3
12	140	14	8	OVC	2992	79	74	10	1000	St	80	055	3
13	130	7	8	2	2991	79	74	10	1000	St	80	060	3
14	130	4	8	OVC	2990	78	73	10	1000	St	80	070	3
15	149	12	8	OVC	2998	77	74	10	1000	St	80	085	3
16	059	13	8	OVC	2987	77	74	10	1000	St	80	085	3
17	055	5	8	OVC	2988	77	74	10	1000	St	80	070	2
18	050	5	8	OVC	2987	76	74	10	1000	St	80	070	2
19	050	5	8	OVC	2988	78	74	10	1000	St	80	070	2
20	050	5	8	OVC	2988	78	74	10	1000	St	80	070	2
21	070	5	8	OVC	2990	78	74	10	1000	St	80	070	2
22	070	7	8	OVC	2990	78	74	10	1000	St	80	070	2
23	070	8	8	OVC	2991	78	74	10	1000	St	80	070	2
24	070	8	8	OVC	2992	78	74	10	1000	St	80	070	2

POSITION	ZONE	TIME
0800 L 20°41N	BY	2
λ 159°07W	BY	2
1200 L 20°30N	BY	2
λ 159 31.7	BY	2
2000 L 20 09.8N	BY	2
λ 160 13.0W	BY	2

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM 1800 (ZT) 24 May (Date)
TO 0800 (ZT) 25 May (Date)
SET 175°
DRIFT .3 KTS

POSITION BETWEEN FIXES

MID. L 20°30N
MID. λ 159°30W

MILES STEAMED 0000–2400: 143.3

FUEL CONSUMED 0000–2400: 1420

REMARKS

00-04 STEAMING INDEPENDENTLY ENROUTE FROM PEARL HARBOR, HAWAII TO JOHNSTON ISLAND WITH YFNB-6 AND YCV-17 IN TOW IN ACCORDANCE WITH COMSERVPAC SAILORD 202357Z OF MAY 1964. BASE COURSE 248° BASE SPEED - 6 KTS 100 RPM. 1500 FT OF TOW WIRE OUT TO YCV-17 WITH YFNB 6 TOWING ASTERN OF YC-17 ON A 600 FT 1 5/8" UNDER RIDER. READINESS CONDITION IV, ENGINEERING CONDITION III, DAMAGE CONTROL CONDITION III, AND MATERIAL CONDITION YOKE SET. SEII

L E Horton
LTJG USN.

04-08 Underway as before. 0745 ~~MUSTER~~ Mustered ~~the~~ crew on stations absentees: none CPM

C. P. McKenzie, Ens, USNR

APPROVED: C C Reed LT. U. S. N. COMMANDING

EXAMINED: P S Mason, LTjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) ~~MONDAY~~ SUNDAY (Day) 24 (Date) May (Month) 1964

08-12 UNDERWAY AS BEFORE 0800 C/S 11.3 KTS.

F.H. DeJonne BMCA

12-16 UNDERWAY AS BEFORE. 1200 C/S 10.0 KTS.

J.R. Hallis, CWO-2-USN

16-18 Underway As Before

F.E. Stanton
LTJG USN

18-20 Underway as before

C.P. McKenzie, Ens, USNR

20-24 UNDERWAY AS before. 2000 C/S to 10.5 Kts.

J.A. Hall
Lt(jg) USNR

APPROVED: C.C. Reed Lt. U.S.N. COMMANDING

EXAMINED: D.S. Mason, Lt(jg) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U.S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10-W DATE MONDAY (Day) 25 (Date) MAY (Month), 1964

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO JOHNSTON ISLAND

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	115	7	8	R	2988	74	72	10	1000	St	80	095	4
02	115	7	8	L	2988	74	71	10	1000	St	80	090	4
03	115	7	8	OVC	2987	74	70	10	1000	St	80	090	3
04	115	10	8	OVC	2987	74	70	10	1000	St	80	090	3
05	042	17	8	OVC	2987	74	70	10	1000	St	80	090	3
06	044	15	8	OVC	2987	74	70	10	1000	St	80	090	3
07	059	19	8	OVC	2989	74	70	10	1000	St	80	090	3
08	075	14	8	OVC	2989	74	70	10	1000	St	80	090	3
09	081	15	7	OVC	2989	76	70	10	1000	St	80	090	3
10	073	12	7	OVC	2990	76	71	10	1000	St	80	090	3
11	073	13	7	OVC	2990	77	72	10	1000	St	80	090	3
12	078	16	7	OVC	2990	77	72	10	1000	St	80	090	3
13	040	14	8	OVC	2987	77	72	10	1000	St	80	090	3
14	040	14	8	OVC	2988	80	73	10	1000	St	80	090	3
15	040	20	7	L	2987	80	73	10	1000	St	80	090	3
16	075	15	8	R	2984	80	73	10	1500	St	80	090	3
17	075	15	8	OVC	2984	77	72	10	1500	St	80	090	3
18	076	15	8	OVC	2984	77	72	9	1500	St	80	090	3
19	075	14	8	OVC	2984	74	72	9	1500	St	80	080	3
20	075	14	8	OVC	2985	75	71	9	2000	St	80	080	3
21	058	16	7	OVC	2987	75	71	9	2000	St	80	080	3
22	058	15	7	OVC	2986	75	70	9	2000	St	80	080	3
23	055	14	7	OVC	2986	75	70	9	2000	St	80	080	3
24	050	14	7	BKN	2988	75	70	7	2000	St	80	080	3

POSITION	ZONE	TIME
0800 L 161°11N	BY	Z
λ 19°43W	BY	Z
1200 L 19°31.8N	BY	Z
λ 161°32.6W	BY	Z
2000 L 19°16.5N	BY	Z
λ 162 08.3	BY	Z

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM 1800 (ZT) 25 May (Date)
TO 0800 (ZT) 26 May (Date)
SET 198
DRIFT .3 Kts

POSITION BETWEEN FIXES

MID. L 19° 30N
MID. λ 161°30W

MILES STEAMED 0000-2400: 127

FUEL CONSUMED 0000-2400: 1447

REMARKS

00-04 STEAMING INDEPENDANTLY FROM PEARL HARBOR, HAWAII, TO JOHNSTON ISLAND, WITH YCV17 AND YFNB-6 IN TOW. IN ACCORDANCE WITH COMSERVPAC SAIL-ORDER 202357Z of May, 1964. YCV17 STREAMED 1500 FT ASTERN, YFNB-6 ON 600 ft of 15/" under rider. BASE COURSE 268°, BASE SPEED 10.8 Kts. MATERIAL CONDITION YOKE, Readiness CONDITION II, ENGINEERING AND DAMAGE CONTROL CONDITION III SET.

J.L. Hollis, CWO2-USN

04-08 Underway As before. 0745 Mustered crew on stations. Absentees: None

L.E. Horton
LTJG USN

APPROVED: C.C. Reed Lt. U. S. N. COMMANDING

EXAMINED: R.D. Mason, Lt(jg) U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) MONDAY (Day) 25 (Date) May (Month), 1964

08-12 Underway as before. 1015 Made daily inspection of magazines conditions: normal.

C. P. McKenzie, Ens, USMR

12-16 Underway as before.

J. A. Hall
Ltjg. USNR

16-18 UNDERWAY AS BEFORE.

J. D. Hollis, CWO 2, USN

18-20 Underway as Before

L. E. Horton
LTJG USN

20-24 Underway as before. 2000 c/s to ~~97 r.p.m.~~ 12 KTS, c/c to 255°. Dsn

C. P. McKenzie, Ens, USMR

APPROVED: C. C. Reed Lt. U. S. N. COMMANDING

EXAMINED: R. S. Nason, Ltjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10W DATE Tuesday (Day) 26 (Date) May (Month), 1964

AT/PASSAGE FROM Pearl Harbor, Hawaii TO Johnston Island

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	060	14	10	BKN	2981	77	73	7	1800	St	80	080	2
02	065	11	10	BKN	2981	77	74	7	1800	St	80	080	2
03	065	11	10	BKN	2984	77	74	7	1800	Sc	80	085	2
04	065	13	10	BKN	2982	78	72	9	1800	Sc	80	085	2
05	060	12	10	BKN	2982	78	72	7	1800	Sc	80	085	2
06	055	11	10	BKN	2981	78	72	7	1800	Sc	80	085	2
07	050	11	10	BKN	2982	78	72	7	1800	Sc	80	085	2
08	050	11	10	BKN	2984	79	73	7	2000	Sc	80	080	2
09	089	12	10	BKN	2986	80	75	7	1000	St	80	115	2
10	087	12	10	BKN	2985	80	75	7	1000	St	80	115	1
11	086	13	10	OVC	2985	80	75	10	1000	St	80	115	1
12	083	13	10	R	2984	80	75	10	1000	St	80	115	1
13	084	15	10	OVC	2984	79	74	10	1000	St	80	115	1
14	083	15	10	BKN	2983	75	74	8	1000	St	80	105	1
15	075	13	10	BKN	2983	75	74	8	1000	St	80	105	2
16	075	12	10	BKN	2983	72	70	8	1000	St	80	055	2
17	080	13	10	BKN	2982	80	74	8	1000	St	80	080	2
18	090	10	10	BKN	2982	80	74	8	1000	St	80	080	2
19	075	8	10	L	2980	75	73	8	1000	St	80	080	2
20	075	8	10	BKN	2982	78	72	8	1000	St	80	080	2
21	075	11	10	BKN	2983	78	71	8	1000	St	80	080	2
22	072	12	10	BKN	2982	78	70	8	1000	St	80	080	2
23	072	12	10	BKN	2981	78	70	8	1000	St	80	080	2
24	072	13	10	BKN	2981	76	70	8	1000	St	80	080	2

POSITION	ZONE	TIME
0800 L 18°54N	BY	1, 2
λ 163°25W	BY	1, 2
1200 L 18°46.4N	BY	2
λ 163°50.3W	BY	2
2000 L 18°33N	BY	2
λ 164 43N	BY	2

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM 1800 (ZT) 26 May (Date)
TO 0800 (ZT) 27 May (Date)
SET NONE
DRIFT NONE

POSITION BETWEEN FIXES

MID. L 18 45N
MID. λ 163 45W

MILES STEAMED 0000-2400: 152.7

FUEL CONSUMED 0000-2400: 3358

REMARKS

00-04 Steaming independently from Pearl Harbor, Hawaii to Johnston Island with YCT-17 and YFNB-6 in tow in accordance with COMSECONDPAC SAIL-ORDER 202357Z of May, 1964. YCT-17 streamed 1500 feet astern, YFNB-6 on 600 ft of 1 5/8" underriders. Base course 255°, base speed 12.0 kts. Material condition Yoke, Readiness Condition V, Engineering and Damage Control Condition III set.

J. O. Hall
Ltjg USNR

04-08 UNDERWAY AS BEFORE. 0745 MUSTERED THE CREW ON STATIONS. ABSENTEES: NONE.

J. O. Hall CWO2, USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Mason, Ltjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 ~~TUE~~ TUESDAY (Day) 26 (Date) MAY (Month), 19 64 SCH

08-12 UNDERWAY AS BEFORE. 0926 MADE DAILY INSPECTION OF MAGAZINES: CONDITIONS NORMAL.

L E Horton
LTJG USN.

12-16 Underway as before.

C. P. McKenzie, Ens, U S NR

16-18 Underway as before.

J A Hall
Ltjg USNR

18-20 UNDERWAY AS BEFORE. 1757 c/s 6.7, KTS, c/s 12.0 KTS.

Jal Hallis, CWO2, USN

20-24 Underway As Before 2000 c/c To 248°

L E Horton
LTJG USN.

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R D Mason, Ltjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 W DATE WEDNESDAY (Day) 27 (Date) MAY (Month), 19 64

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	070	13	10	BKN	2981	76	70	8	1000	St	80	080	2
02	070	15	10	BKN	2982	77	70	8	1000	St	80	080	2
03	070	17	10	BKN	2983	77	71	8	1000	Sc	81	085	2
04	070	17	10	BKN	2984	77	71	8	1000	Sc	82	085	2
05	075	17	10	BKN	2985	77	71	7	2000	Sc	81	085	2
06	075	19	10	BKN	2986	76	71	7	2000	Sc	81	085	2
07	080	15	10	BKN	2985	81	71	7	2000	Sc	80	085	2
08	080	14	10	BKN	2985	81	71	7	2000	Sc	80	080	2
09	090	13	10	BKN	2985	83	71	7	2000	Sc	80	080	2
10	090	14	10	BKN	2985	84	72	7	2000	Sc	80	080	2
11	085	15	10	BKN	2985	84	72	7	2000	Sc	80	080	2
12	088	17	10	BKN	2985	85	72	7	2000	Sc	80	080	2
13	085	16	10	BKN	2984	85	72	7	2000	Sc	80	080	2
14	075	15	10	BKN	2983	14	72	7	2000	Sc	80	080	2
15	080	14	10	BKN	2984	84	72	7	2000	Sc	80	080	2
16	080	11	10	BKN	2983	83	72	7	2000	Sc	80	080	2
17	085	11	10	BKN	2984	82	72	7	2000	Sc	80	080	2
18	085	12	10	BKN	2983	81	72	7	2000	Sc	80	080	2
19	085	12	10	BKN	2982	80	72	7	2000	Sc	80	080	2
20	085	13	10	BKN	2982	80	72	7	2000	Sc	80	085	2
21	090	14	10	BKN	2981	80	72	7	2000	Sc	80	085	2
22	090	15	10	BKN	2981	80	72	7	2000	Sc	80	085	2
23	090	15	10	BKN	2982	80	72	7	2000	Sc	80	085	2
24	090	12	10	BKN	2982	80	70	7	2000	Cu	081	085	2

POSITION	ZONE	TIME
0800 L	18°07	BY 1, 2
λ	165 54.5	BY 1, 2
1200 L	17°53.5N	BY 2
λ	166°18.8W	BY 2
2000 L	17°34.5	BY 2
λ	167°06 W	BY 2

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM 0800 (ZT) 27 May (Date)
TO 1800 (ZT) 28 May (Date)
SET 320
DRIFT .5 KTS

POSITION BETWEEN FIXES

MID. L 17°50°N
MID. λ 166°30W

MILES STEAMED 0000–2400: 148

FUEL CONSUMED 0000–2400: 2930

REMARKS

00-04 Steaming independently enroute from Pearl Harbor, Hawaii to Johnston Island with YFNB-6 and YCV-17 in tow in accordance with ComServPac Sail Ord Msg 202357Z of May 1964. Base Course 248, base speed ~~97 rpm~~ 12 knots 7475 feet of tow wire out to YCV-17 with YFNB-6 ~~on AS~~ astern on a hundred foot ~~in~~ underlider. Readiness condition V Engineering condition III, Damage control condition III and material condition yokes set.

C.P. McKenzie, Ens, USNR

04-08 Underway as before. 0745 Mustered ~~the~~ crew at quarters absentees: none

C.P. McKenzie, Ens, USNR

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: R.D. Mason, Lt(jg) U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) WEDNESDAY (Day) 27 (Date) May (Month) 19 64

08-12 UNDERWAY AS BEFORE. 0802 C/S 6.7 Kts, 12.0 Kts. 1102 C/S 10.0 Kts, 12.0 Kts. 0900 MADE DAILY INSPECTION OF MAGAZINES, CONDITIONS: NORMAL.

J C Hollis, CWO, 2-USN

12-16 Underway As Before

F E Horton
LTJG USN

16-18 Underway as before.

C. P. McKenzie, Ens, USNR

18-20 Underway as before.

L A Hall
Lt jg USNR

20-24 UNDERWAY AS BEFORE.

J C Hollis, CWO, 2-USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R S Mason, Lt(jg) U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE THURSDAY (Day) 28 (Date) MAY (Month), 19 64

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO JOHNSTON ISLAND

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	090	12	10	BKN	29[illegible]	80	70	7	2000	Cu	80	090	2
02	097	11	10	BKN	2982	80	70	7	2000	Cu	80	090	2
03	090	12	10	BKN	2982	80	70	7	2000	Cu	80	090	2
04	088	9	10	BKN	2984	77	69	7	2000	Cu	81	090	2
05	090	9	10	BKN	2981	77	70	6	2000	Cu	81	096	2
06	090	9	10	BKN	2979	78	71	6	2000	Cu	81	096	2
07	103	8	10	BKN	2979	78	71	6	2000	Cu	81	096	2
08	087	11	10	BKN	2979	81	72	7	2000	Cu	81	096	2
09	100	10	10	BKN	2979	82	73	6	2000	Cu	81	095	2
10	105	7	10	BKN	2980	83	74	6	2000	Cu	81	095	2
11	092	8	10	BKN	2980	84	75	6	2000	Cu	81	095	2
12	090	7	10	BKN	2982	85	75	7	2000	Cu	81	095	1
13	080	7	10	BKN	2979	87	75	6	2000	Cu	81	095	1
14	080	7	10	BKN	2979	83	75	6	2000	Cu	81	095	1
15	075	8	10	SCT	2979	85	75	5	2000	Cu	81	080	1
16	075	8	10	SCT	2976	83	74	5	2000	Cu	81	080	2
17	075	10	10	SCT	2977	80	74	5	2000	Cu	81	085	2
18	093	10	10	SCT	2978	80	73	4	2000	Cu	81	085	2
19	088	6	10	SCT	2979	80	73	4	2000	Cu	81	085	2
20	094	6	10	SCT	2980	80	73	4	2000	Cu	81	085	2
21	095	7	10	SCT	2980	80	73	4	2000	Cu	81	085	2
22	095	6	10	SCT	2979	81	73	4	2000	Cu	81	085	2
23	100	7	10	SCT	2980	81	73	4	2000	Cu	81	085	2
24	100	6	10	SCT	2980	81	73	4	2000	Cu	81	085	2

POSITION	ZONE	TIME
0800 L	17°06N	BY
λ	168°18W	BY
1200 L	16°55.5N	BY 1,2
λ	168°44.5W	BY 1,2
2000 L	16°48N	BY 3
λ	169°02'	BY 3

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM 290 (ZT) 28 MAY (Date)
TO 248 (ZT) 28 May (Date)
SET 248
DRIFT .5/7/5

POSITION BETWEEN FIXES

MID. L 16°55N
MID. λ 168°45W

MILES STEAMED 0000-2400: 103.1

FUEL CONSUMED 0000-2400: 2713

REMARKS

00-04 STEAMING INDEPENDENTLY ENROUTE FROM ~~JOHNSTON~~ PEARL HARBOR, HAWAII TO JOHNSTON ISLAND WITH YC-17 AND YFNB-6 IN TOW IN ACCORDANCE WITH COMSERVPAC SAILORD 202357Z OF MAY 1964. 1500 FT. OF MAIN TOW WIRE OUT TO YC-17 WITH YFNB-6 ASTERN OF YC-17 ON A 600 FT. 1 5/8" UNDERRIDER. READINESS CONDITION IV, ENGINEERING CONDITION III, DAMAGE CONTROL CONDITION III AND ~~DAMAGE CONTROL~~ MATERIAL CONDITION YOKE SET BASE SPEED 12½ KTS BASE COURSE 248° JEH

J E Horton
LTJG USN

04-08 Moored as before Underway as before. 0745 Mustered the crew on stations absentees: none.

C. F. McKenzie, Ens, USNR

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: R D Mason, Lt(jg) U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) ~~28~~ Thursday (Day) 28 (Date) MAY (Month), 19 64 PM

08-12 Underway as before. 0800 C/C. 247°T 0944 Made daily Inspection of magazines. Conditions: normal.

Ltjg J A Hall USNR

12-16 UNDERWAY AS BEFORE. 1436 C/S 9.5 Kts. 1439 C/S 6.7 Kts. 1444 C/C 245°.

J.L. Hollis, CWO2-USN

16-18 UNDERWAY AS BEFORE. 1700 C/C TO 235°

L E Horton
LTJG USN.

18-20 Underway as before.

C.P. McKenzie, Ens, USNR

20-24 Underway as before.

J A Hall
Ltjg USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Mason, Ltjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U.S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10W DATE FRIDAY (Day) 29 (Date) MAY (Month), 1964

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO JOHNSTON, ISLAND

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	090	12	10	Sct	2980	77	72	4	2000	Cu			
02	090	10	10	Sct	2980	76	72	4	2000	Cu			
03	101	11	10	Sct	2980	77	73	4	2000	Cu			
04	100	10	10	Sct	2979	77	73	4	2000	Cu			
05	102	9	10	Sct	2978	77	74	4	2000	Cu			
06	100	10	10	Sct	2976	77	74	4	2000	Cu			
07	120	10	10	Sct	2975	78	75	4	2000	Cu			
08	120	10	10	Sct	2975	79	75	4	2000	Cu			
09	120	8	10	Sct	2976	80	74	4	2000	Cu			
10	120	9	10	Sct	2977	79	74	4	2000	Cu			
11	120	10	10	Sct	2977	79	74	4	2000	Cu			
12	095	10	10	Sct	2978	79	73	4	2000	Cu			
13	100	10	10	Sct	2977	79	73	4	2000	Cu			
14	100	10	10	Sct	2977	79	73	4	2000	Cu			
15	100	10	10	Sct	2977	78	73	4	2000	Cu			
16	100	8	10	Sct	2978	79	72	4	2000	Cu			
17	100	8	10	Sct	2979	79	71	4	2000	Cu			
18	100	8	10	Sct	2979	79	71	4	2000	Cu			
19	100	7	10	Sct	2980	79	71	4	2000	Cu			
20	100	7	10	Sct	2979	79	71	4	2000	Cu			
21	100	10	10	Sct	2978	79	71	4	2000	Cu			
22	095	10	10	Sct	2978	79	71	4	2000	Cu			
23	090	10	10	Sct	2978	79	71	4	2000	Cu			
24	095	10	10	Sct	2978	79	71	4	2000	Cu			

POSITION	ZONE	TIME
0800 L	16°40.7	BY 3
λ	169°30.W	BY 3
1200 L	ANCHORED	BY
λ		BY
2000 L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA		
FROM	(ZT)	(Date)
TO	(ZT)	(Date)
SET		
DRIFT		

POSITION BETWEEN FIXES	
MID. L	16°40 N
MID. λ	169 30 W

MILES STEAMED 0000-2400
25

FUEL CONSUMED 0000-2400
772

REMARKS

00-04 STEAMING INDEPENDENTLY FROM PEARL HARBOR HAWAII TO JOHNSTON, ISLAND IN ACCORDANCE WITH COMSERVPAC SAIL-ORDER 202357Z of MAY 1964 with YCV17 & YFNB-6 INTOW - YCV17 at 1500 Feet on TWO(2) inch wire, YFNB-6 on 600 feet 1½" under RIDER. STEERING 235°, Speed 6.7 Kts. MATERIAL CONDITION Yoke (Modified) Set. READINESS CONDITION V ENGINEERING AND DAMAGE CONTROL CONDITIONS III SET. 0345 C/C 340°. 0356 C/C TO 340.

J. L. Hollis CWO2, USN

04-08 Underway As before

H. E. Horton
LTJG USN

APPROVED:

C C Reed Lt. U. S. N. COMMANDING

EXAMINED:

R S Nason, Ltjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Friday (Day) 29 (Date) May (Month), 1964

~~08~~ 12-16 (CONT) 1349 Set the Special Sea and Anchor Detail. 1350 Completed all preparations for getting underway. 1353 Underway for Johnston Island Harbor. Maneuvering to clear the anchorage. Captain and Navigator are on the bridge. 1400 Captain has the Conn. Steering various courses at various speeds while standing into Johnston Island Harbor and assigned berth. 1428 Moored starboard side to YFNB-6, Navy Pier, Johnston Island standard mooring lines doubled. 1432 Secured the Sea and Anchor Detail.

J. A. Hall
Ltjg USNR

12-16 (CONT) ~~Anchored~~ ~~MOORED~~ MOORED As BEFORE

L E Horton LTJG USN

16-~~20~~ 18 Moored as before. 1623 Commenced making preparations for getting underway. 1627 Set the Special Sea and Anchor detail. Captain and Navigator are on the bridge. Captain has the Conn. 1637 Underway from Johnston Island. Steering various courses at various speeds while standing out of the harbor. 1646 Bouy #20 abeam to port, 75 yds. 1715 OOD has the Conn. 1716 Bouy #20 abeam to port, 100 yds. 1722 Secured the Sea detail. Steering various courses at various speeds while anchoring ~~in~~ off Johnston Island.

C. P. McKenzie, Ens, USMR

18-20 Underway as before. 1801 Let go the port anchor. Anchored in 7.5 fathoms of water sand and coral bottom with 45 fathoms of anchor chain to the port anchor on the following anchor bearings: Central Tower 337, Loran Tower 013.5, Left tangent of East Island 031. 1802 Secured the anchor detail.

C. P. McKenzie, Ens, USMR

18-20 (CONT) Anchored As before

L E Horton
LTJG USN

20-24 Anchored As before

L E Horton
LTJG USN

APPROVED: C C Reed Lt. U. S. N. COMMANDING

EXAMINED: D D Nason, Ltjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U.S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP _____ Friday (Day) 29 (Date) May (Month), 1964

04-08 (CON'T) Ø641 c/c to Ø25 Ø645 c/s to 75 rpm Ø653 c/c to Ø5Ø Ø718 ~~c/c to~~ Set the special sea and anchor detail. Captain and Navigator are on the bridge. Ø722 YTM 749 came alongside to port. Ø728 Captain has the conn. Commenced steering various courses at various speeds while maneuvering to have YTM 749 disengage barges. Ø749 YTM 749 away with YCV 17 in tow.

C. P. McKenzie, Ens, USMR

Ø8-12 Underway as before. Steering various courses at various speeds while disengaging from YFNB-6 ~~and YCV 17~~. Captain and Navigator are on the bridge Ø8Ø3 OOD has the conn. Ø817 Captain has the conn. Ø827 OOD has the conn. Ø93Ø Set the anchor detail. Ø945 Captain has the conn. 1Ø13 YTM-749 came alongside to port 1Ø2Ø YFNB undertow by YTM-749. 1Ø31 Made daily inspection of the magazines ~~on~~ conditions: normal. Made weekly ~~inspect~~ test of magazine sprinkling system: test satisfactory. 1Ø44 Anchored off Johnston Island in seven fathoms of water sand and coral bottom with 45 fathoms of chain to the port anchor on the following bearings: Control tower 337.5° Loran Tower ØØ8.7, East Tangent of East Island Ø25¼. 1Ø48 Secured the sea detail

C. P. McKenzie, Ens, USMR

12-16 Anchored as before

L. E. Horton LT(Jg) USN

APPROVED: C. C. Reed U. S. N. COMMANDING

EXAMINED: R. S. Nason, Ltjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS _____ ZONE DESCRIPTION _____ DATE SATURDAY (Day) 30 (Date), MAY (Month), 19 64

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	150	4	10	Sct	2978	79	72	4	2000	Cu			
02	150	4	10	Sct	2977	77	72	5	2000	Cu			
03	150	5	10	Sct	2976	77	71	5	2000	Cu			
04	150	4	10	Sct	2974	78	71	5	2000	Cu			
05	150	4	10	R	2974	79	72	8	2000	St			
06	125	4	10	R	2976	80	73	8	2000	St			
07	125	4	10	R	2974	79	72	8	2000	St			
08	292	8	7	R	2977	74	73	8	2000	St			
09	250	8	7	R	2979	75	73	10	2000	St			
10	240	7	7	R	2978	74	73	10	2000	St			
11	140	4	7	L	2979	75	73	10	2000	St			
12	145	4	8	R	2980	75	73	10	2000	St			
13	020	5	8	R	2980	75	73	10	2000	St			
14	025	5	8	R	2978	76	75	10	2000	St			
15	025	4	8	OVC	2976	76	75	10	2000	St			
16	000	4	8	OVC	2976	77	75	10	2000	St			
17	020	4	8	OVC	2977	77	74	10	2000	St			
18	020	4	8	OVC	2977	76	74	10	2000	St			
19	020	15	8	OVC	2977	77	73	10	2000	St			
20	020	16	8	BKN	2977	74	73	8	2000	St			
21	030	20	8	BKN	2977	75	72	8	2000	St			
22	030	20	8	BKN	2977	74	72	8	2000	St			
23	030	15	8	BKN	2977	76	72	8	2000	St			
24	045	15	8	BKN	2977	77	73	8	1000	St			

POSITION	ZONE	TIME
0800 L ANCHORED		BY
λ		BY
1200 L		BY
λ		BY
2000 L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 419

REMARKS

APPROVED: _____ U. S. N. COMMANDING

EXAMINED: _____ U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI ATF 96 ZONE DESCRIPTION +10 DATE SATURDAY (Day) 30 (Date) MAY (Month), 19 64

AT/~~PASSAGE FROM~~ JOHNSTON ISLAND TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	150	6	10	Sct	2978	99	72	4	2000	Cu			
02	150	6	10	Sct	2977	77	72	5	2000	Cu			
03	150	5	10	Sct	2976	72	71	5	2000	Cu			
04	150	4	10	Sct	2974	78	71	5	2000	Cu			
05	150	4	10	R	2974	79	72	8	2000	Cu			
06	125	4	10	R	2976	80	72	8	2000	Cu			
07	125	6	10	R	2974	79	73	8	2000	Cu			
08	125	8	10	R	2977	74	72	8	2000	Cu			
09	120	8	10	R	2979	75	73	10	2000	Cu			
10	120	7	10	R	2980	74	73	10	2000	Cu			
11	140	4	10	L	2981	75	73	10	2000	Cu			
12	145	4	10	R	2982	75	73	10	2000	Cu			
13	020	5	10	R	2981	76	74	10	2000	Cu			
14	025	5	10	R	2979	75	74	10	2000	Cu			
15	025	4	10	OVC	2979	75	74	10	2000	Cu			
16	000	4	10	OVC	2980	76	73	10	2000	Cu			
17	020	4	10	OVC	2979	75	74	10	2000	Cu			
18	020	15	10	OVC	2978	76	75	10	2000	Cu			
19	020	16	10	BKN	2978	75	74	10	2000	Cu			
20	020	16	10	BKN	2978	74	151	8	2000	Cu			
21	030	20	10	BKN	2977	74	75	8	2000	Cu			
22	030	20	10	BKN	2980	74	74	8	2000	Cu			
23	030	17	10	BKN	2977	75	74	8	2000	Cu			
24	045	15	10	BKN	2977	76	74	8	2000	Cu			

POSITION	ZONE	TIME
0800 L ANCHORED		BY
λ		BY
1200 L		BY
λ		BY
2000 L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 419

REMARKS

00-04 ANCHORED AT JOHNSTON ISLAND IN 7.5 FATHOM OF WATER WITH 45 FATHOM OF CHAIN TO THE PORT ANCHOR SAND AND CORAL BOTTOM. LORAN TOWER BEARS 015, CONTROL TOWER BEARS 338° LEFT TANGENT OF EAST ISLAND 031°. MODIFIED MATERIAL CONDITION YOKE SET. SHIPS PRESENT INCLUDE VARIOUS CIVILIAN AND NAVY YARD CRAFT. SOPA IS COMMANDING OFFICER, USS ABNAKI, ATF-96

LE Lorton
LTJG USN

04-08
~~08-12~~ ANCHORED AS BEFORE 0745 MUSTERED CREW ON STATIONS; ABSENTEES: NONE

LE Lorton
LTJG USN

APPROVED: CC Seed LT. U. S. N. COMMANDING

EXAMINED: RS Mason, Ltjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SATURDAY (Day) 30 (Date) MAY (Month) 1964

08-12 ANCHORED AS BEFORE. 1003 MADE DAILY INSPECTION OF MAGAZINES. CONDITIONS: NORMAL.

J.L. Hollis, CWO2-USN

12-16 ANCHORED AS BEFORE.

J.L. Hollis, CWO-2. USN

16-20 ANCHORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE (Modified).

J.L. Hollis, CWO2, USN

20-24 ANCHORED AS BEFORE.

J.L. Hollis, CWO,2-USN

APPROVED:

C C Reed Lt. U. S. N. COMMANDING

EXAMINED:

R S Mason, Ltjg U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 W DATE SUNDAY (Day) 31 (Date) MAY (Month), 1964

AT/~~PASSAGE FROM~~ JOHNSTON, ISLAND TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	130	20	8	BKN	29.76	78	75	6	1000	ST			
02	130	18	8	BKN	29.76	79	75	8	1000	ST			
03	130	10	8	BKN	29.76	79	75	9	1000	ST			
04	025	8	8	BKN	29.76	79	75	9	1000	ST			
05	025	5	8	OVC	29.75	79	76	10	1000	ST			
06	020	5	8	OVC	29.76	78	76	10	1000	ST			
07	120	4	8	BKN	29.78	80	78	9	1000	ST			
08	124	4	8	BKN	29.78	80	78	8	1000	ST			
09	124	2	8	BKN	29.76	82	77	8	1000	SC			
10	120	2	10	OVC	29.76	82	74	9	1000	SC			
11	120	3	10	OVC	29.75	82	74	10	1000	SC			
12	130	4	10	BKN	29.77	83	74	8	1000	SC			
13	130	3	10	BKN	29.77	83	74	8	1000	SC			
14	130	3	10	BKN	29.78	83	74	8	1000	SC			
15	130	4	10	BKN	29.79	83	74	9	1000	SC			
16	130	5	10	OVC	29.79	83	74	10	1000	SC			
17	130	5	8	OVC	29.79	83	74	10	1000	SC			
18	125	4	10	OVC	29.79	81	72	10	1800	SC			
19	120	4	10	OVC	29.78	80	71	7	1800	SC			
20	120	12	8	L	2980	80	77	4	1800	SC			
21	120	10	8	SCT	2981	80	77	4	1800	ST			
22	120	10	8	SCT	2983	80	77	7	1800	CU			
23	120	15	8	BKN	29.83	80	77	7	1800	ST			
24	120	10	8	BKN	29.83	80	77	7	1800	ST			

POSITION	ZONE	TIME
0800 L 16°40.7N	BY	3
λ 169 30.2W	BY	3
1200 L 16 41.0	BY	3
λ 169 31.1W	BY	3
2000 L	BY	
λ	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM — (ZT) — (Date)

TO — (ZT) — (Date)

SET —

DRIFT —

POSITION BETWEEN FIXES

MID. L 16°40'35"

MID. λ 169°30W

MILES STEAMED 0000-2400: 7.0

FUEL CONSUMED 0000-2400: 298

REMARKS

00-04 ANCHORED TO THE PORT ANCHOR WITH 45 FATHOMS OF WATER ON DECK, 7.5 FATHOMS OF WATER, SAND AND CORAL BOTTOM. ANCHORED ON THE FOLLOWING BEARINGS. LORAN TOWER 015°, CONTROL TOWER 338°, LEFT TANGENT OF EAST ISLAND 031°, SOPA is C.O. ABNAKI (ATF-96). SHips PRESENT INCLUDES VARIOUS USNS AND COMMERCIAL SHips AND SMALL CRAFT. SOPA IS C.O. ABNAKI.

J.L. Hollis, CWO2-USN

04-08 ANCHORED AS BEFORE. 0745 MUSTERED THE CREW ON STATIONS. ABSENTEES: NONE.

J.L. Hollis, CWO2, USN

APPROVED: C.C. Reed Lt. U. S. N. COMMANDING

EXAMINED: R.D. Mason, Ltjg U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAK (ATF 96) SUNDAY (Day) 31 (Date) MAY (Month), 1964

Ø8-12 Moored as before. Ø8Ø7 commenced making preparations for getting underway. Ø821 set the regular underway watch on deck section two. Captain and navigator are on the bridge. Ø837 Captain has the conn. Ø838 completed all preparations for getting underway. Ø838 commenced heaving in anchor. Ø842 underway from anchorage off Johnston Island. Commenced steering various courses at various speeds while clearing the ~~anchor and~~ anchorage. Commenced making preparations to an anchor off Johnston Island. Ø9Ø1 Captain has the conn. Ø9Ø7 anchored of Johnston Island in seven fathoms of water with sand and coral bottom with 75 fathoms of anchor chain to the port anchor on the following bearings; Control tower 349.5. Foran tower Ø24° Tangent East Island Ø38, aft range ØØ9. Ø932 received daily magazine inspection report conditions normal. Ø942 commenced making preparations for getting underway. Ø952 completed all preparations for getting underway. Ø955 underway. Commenced steering various courses at various speeds while clearing the anchorage. Steering various courses at various speeds while sounding the approaches to Johnston Island channel.

C.P. McKenzie, Ens, USMR

12-16 Underway as before. Steering various courses at various speeds while sounding the approaches to Johnston Island channel. 1229 Anchored off Johnston Island in 8 fathoms of water, sand-coral bottom, with 45 fathoms of chain to the port anchor on the following bearings: Control tower 341°, Foran tower 015.5°, aft range at Johnston Island 002.5°. Ships present include various USNS and commercial ships and small craft. SOPA is C.O. USS ABNAKI (ATF-96)

J. A. Hall
Lt jg USNR

12-16 (continued) ~~Moored~~ Anchored as before. Set the underway watch captain and navigator on the bridge. OOD has the conn. 14Ø7 Underway from the anchorage. Steering various courses at various speeds while sounding and marking coral heads in the approach to Johnston Island main ship channel.

C.P. McKenzie, Ens, USMR

16-20 UNDERWAY AS BEFORE. STEERING VARIOUS COURSES AND SPEEDS WHILE APPROACHING ANCHORAGE. 1605 ANCHORED TO PORT ANCHOR IN FIVE (5) FATHOMS OF WATER. SAND AND CORAL BOTTOM, THIRTY (30) FATHOMS

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: D S Nason, Lt jg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ (Day) _____ (Date) _____ (Month), 19____

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

APPROVED:

_____ U. S. N. COMMANDING

EXAMINED:

_____ U. S. N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SUNDAY (Day) 31 (Date) MAY (Month) 1964

16-20 (Cont'd) OF CHAIN OF THE WATERS EDGE. ANCHOR BEARINGS. AERO BEACON 340°, LORAN TOWER 024.5°, RIGHT TANGENT OF EAST ISLAND 038° 1642 Secured. The Underway watches and anchor detail, set the Regular Anchorage Watches. 1710 Set the Underway and Anchor watches. Captain and Navigator are on the Bridge. 1744 Underway. Steering various courses & speeds while approaching Sea buoy area for precision anchoring. 1804 Anchored in Five (5) Fathoms of water, sand & coral bottom, Forty Five Fathoms of Chain on Deck, on the following bearings. Aero Beacon 331°, after range marker 002°, Loran Tower 015°, 1810 secured the Underway and anchor DETAIN WATches. Set the regular inport and anchorage watches. 1815 Set material condition Yoke (modified)

J.L. Hollis. CWO2. USN

20-24 Anchored as before.

J.L. Hollis. CWO2, USN

APPROVED: C.C. Reed Lt. U. S. N. COMMANDING

EXAMINED: [illegible] U. S. N. NAVIGATOR

☆ U.S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

GPO 869990

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ (Day) _____ (Date) _____ (Month), 19____

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

APPROVED:

_____ U. S. N. COMMANDING

EXAMINED:

_____ U. S. N. NAVIGATOR